TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

	 4) Inactive ponds are required to be maintained with 5) CCR Unit Instrumentation should be inspected one 	water leve	ls below 1 foo (typically on	ot. Sunday).	
Dat		pection: \	Weekly 🗂 !	Storm Event	
PONDS 25 AND 35: GENERAL INFORMATION:		POND 2S		POND 3S	
1)	General Condition	PARTIALLY FULL		EMPTY FULL PARTIALLY FULL	
1,	W	NORMAL []		NORMAL	
2)	Water Level in Pond	HIGI	4	HIGH	
-		LOW		LOW	
3)	Is Ash Being Removed?	YES 🗆	NO 🖃	YES 🗆	NO 🗗
4)	In Service?	YES 🗆	NO 🛭	YES 🗆	NO 🗗
PH	YSICAL INSPECTION:			<u> </u>	
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO B	YES 🗆	NO 🗇
2)	embankments?	YES 🗆	NO 🗖	YES 🗆	NO 🗇
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗀	NO B	YES 🗆	NO 🗗
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🖸	YES 🗆	NO 🗖
5)	Animal Burrows on embankments?	YES 🗆	NO D	YES 🗆	NO 🗷
The area	3 descriptions (#6-8) below refer to areas to East, Soutl 1.	h, and West	of pands incl	uding outside	the fence
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖸	YES 🗆	NO E
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🗖
8)	Debris on embankments/berms?	YES 🗆	NO 🗗	YES 🗆	NO 🗆
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗗	YES 🗆	NO 🗹
10)	Visible Releases	YES 🗆	NO B	YES 🗌	NO 🗗

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \(\square\) NO \(\square\) N/A \(\square\)
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\square\) NO \(\square\)
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES [] NO []
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking 0./ Elevation (FT/MSL) 588. 4 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 2.4 Elevation (FT/MSL) 5844 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES MO NO
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected on Date: 1-18-23 Time: 8:40th Type of Ins			1000		
PONDS 2S AND 3S:					
GENERAL INFORMATION:	PON	POND 2S		POND 3S	
1) General Condition	EMPTY □ PARTIALLY	FULL FULL	EMPTY PARTIALLY I	FULL 🗆	
2) Water Level in Pond	NORM HIGH LOW	IAL O	NORM HIGH LOW	AL O	
3) Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗗	
4) In Service?	YES 🗆	NO 🗗	YES 🗆	NO 🗖	
PHYSICAL INSPECTION:					
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO ₽	YES 🗆	NO 🗹	
4) Cracking on Embankments/Berms?	YES 🗆	NO 📿	YES 🗆	NO 🗹	
5) Animal Burrows on embankments?	YES 🗆	NO 🗗	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, Sou area.	th, and West (of ponds incl	uding outside	the fence	
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗗	YES 🗆	NO 🗗	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗗	
8) Debris on embankments/berms?	YES 🗆	NO 🗆	YES 🗆	NO 🗗	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗗	
10) Visible Releases	YES 🗆	NO 🛮	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES \(\square\) NO \(\square\)
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NO N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \(\square\) NO \(\square\)
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking Elevation (FT/MSL)
3S Level (ft) Gauge Marking 2.2 Elevation (FT/MSL) 584.7 (Use <u>3S</u> EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO
Qualified Person's Name: