TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 10473 Time: 400 Type of Inspection: Weekly Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S			
1)	General Condition	EMPTY [] PARTIALLY	FULL D	EMPTY PARTIALLY I	FULL 🗆		
	Water Level in Pond	NORMAL 🗆		NORMAL			
2)		LOW	<u> </u>	LOW	□ >		
3)	Is Ash Being Removed?	YES 🗆	NO \$	YES 🗆	NO DE		
4)	In Service?		NO 🔀		NO D		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO X	YES 🗆	NO 🖗		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 54	YES 🗆	NO 🏂		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO D	YES 🗆	NO Ø		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 52	YES 🗆	NO 🔼		
5)	Animal Burrows on embankments?	YES 🗆	NO 🛂	YES 🗆	NO 🖾		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖾	YES 🗆	NO 🙉		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO [Z]	YES 🗆	NO DE		
8)	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO DI		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 💯	YES 🗆	NO S		
10)	Visible Releases	YES 🗆	NO 💆	YES 🗆	NO ST		
	4 -67			-			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA 12.d) If No, Did You Reduce Pond Level? YES N/A 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments: N/A 12.g) Additional Comments: N/A 12.g) Additional Comments: N/A 12.g) Is THERE ANY VISIBLE WATER POOLING 1N? YES NO 12.g) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO
POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking Elevation (FT/MSL) 588.3 (Use 25 Et Gauging Chart App A) 35 Level (ft) Gauge Marking Elevation (FT/MSL) 583.8 (Use 35 Et Gauging Chart App B) Gauge Marker Instrument is in good condition and readable YES NO
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once	ce per week (typically on !	Sunday).
Date: 10-7-2023 Time: 1100 HRS Type of Ins	pection: Weekly 🗹 🤉	Storm Event 🗆
PONDS 25 AND 35: GENERAL INFORMATION:	POND 2S	POND 3S
1) General Condition	EMPTY □ FULL □ PARTIALLY FULL ☑	EMPTY □ FULL □ PARTIALLY FULL ☑
2) Water Level in Pond	NORMAL □ HIGH □ LOW ☑	NORMAL □ HIGH □ LOW ☑
3) Is Ash Being Removed?	YES NO Z	YES 🗆 NO 🗹
4) In Service?	NO 🗹	NO 🗹
PHYSICAL INSPECTION:		COLUMN DOM
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆 NO 🗹	YES NO
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES - NO -	YES D NO 1
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆 NO 🗹	YES NO 1
4) Cracking on Embankments/Berms?	YES NO 🗹	YES D NO Z
5) Animal Burrows on embankments?	YES NO 🗹	YES D NO D
he 3 descriptions (#6-8) below refer to areas to East, Sou area.	th, and West of ponds inc	luding outside the fence
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES O NO D	YES NO D
7) Slope Erosion on berms or embankments?	YES NO I	YES D NO 1
8) Debris on embankments/berms?	YES NO I	YES NO
Deterioration, malfunctions, or improper operation of overtopping control systems	YES NO 🗹	YES - NO I
10) Visible Releases	YES NO	YES NO I

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO I
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A
12.d) If No, Did You Reduce Pond Level? YES \(\square\) N/A \(\square\)
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\Boxed{1} \) NO (1)
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \(\Boxed{1} \) NO \(\overline{\text{V}} \)
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
TO CO. THE SAME TO A ST. THE CONTROL OF THE SAME TO SEE THE SA
Qualified Person's Name: