TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 5-19-24 Time: 10 AM Type of Inspection: Weekly & Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S			
1)	General Condition	EMPTY PARTIALLY	FULL 🔯	EMPTY PARTIALLY F	FULL 🔲		
2)	Water Level in Pond	NORM HIGH LOW	AL D	NORM HIGH LOW	AL 🗆		
3)	Is Ash Being Removed?	YES 🗆	NO 🔯	YES 🗆	NO 🔼		
4}	In Service?		NO 🔼		№ 🛛		
PH	YSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗀	№ 🎾	YES 🗆	NO 💆		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 💆	YES 🗆	NO 🕱		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 💆	YES 🗆	NO 🏹		
4)	Cracking on Embankments/Berms?	YES 🗆	№ 💆	YES 🗆	NO 🔀		
5)	Animal Burrows on embankments?	YES 🗆	NO 🔼	YES 🗆	NO 🔀		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO M	YES 🗆	NO DX		
7)	Slope Erosion on berms or embankments?	YES 🗆	ио 🔯	YES 🗆	NO DX		
8)	Debris on embankments/berms?	YES 🗆	NO M	YES 🗆	NO 💆		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 💆	YES 🗆	NO 💆		
10)	Visible Releases	YES 🗆	NO 🗖	YES 🗆	NO N		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO 🗹 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES \(\text{NO} \) \(\text{N/A} \) \(\text{12.d} \) If No, Did You Reduce Pond Level? YES \(\text{N/A} \) \(\text{N/A} \) \(\text{12.e} \) Notified Shift Supervisor of Damage? YES \(\text{Date Notified:} \) \(\text{N/A} \) \(\text{12.f} \) Notified Station Management of Damage? YES \(\text{Date Notified:} \) \(\text{N/A} \) \(\text{Date Notified:} \) \(\text{N/A} \) \(\text{Date Notified:} \) \(\text{N/A} \) \(\text{Date Notified:} \)
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO NO If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking 0-0 Elevation (FT/MSL) 583-4 (Use <u>35</u> EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1-4 Elevation (FT/MSL) 583-4 (Use <u>35</u> EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO NO
Qualified Person's Name:

. . .

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

 4) Inactive ponds are required to be maintained with water levels below 1 foot. 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday). 								
Date: 5-22-2024 Time: 1000 H.C.S Type of Inspection: Weekly I Storm Event								
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S				
1)	General Condition	EMPTY D FULL D		EMPTY D FULL D				
2)	Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM HIGH LOW	AL O			
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
4)	In Service?		NO 🗹		NO 🗹			
PHYSICAL INSPECTION:								
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO E			
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO []			
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.								
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
10)	Visible Releases	YES 🗔	NO 🗹	YES 🗆	NO 🗹			
	1 of 2			200	£5			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking Elevation (FT/MSL) 588,3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1,4 Elevation (FT/MSL) 583,4 (Use 3S EL Gauging Chart App B) Gauge Marker Instrument is in good condition and readable YES III NO
Qualified Person's Name