TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).						
Date: 5-26-2024 Time: 0800H Type of Inspection: Weekly 12 Storm Event						
PONDS 2S AND 3S:		POND 2S		POND 35		
GENERAL INFORMATION:						
1)	General Condition	EMPTY 🗆	FULL 📙	EMPTY 🗆	FULL 🗆	
		PARTIALLY FULL 🗹		PARTIALLY FULL 🗹		
	Water Level in Pond	NORMAL 🗆		NORMAL 🗆		
2)		HIGH		HIGH		
		LOW	120	LOW	2	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	In Service?		NO 🗹		NO M	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO [
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO D	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🖸	YES 🗆	NO I	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	NO 🗖	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	1 of 2)				

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES INO INTERPORT NO INTERPORT				
12.b) Specific Location:				
12.c) Is Water Level Below Damage? YES NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:				
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO If Yes – contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking Elevation (FT/MSL) 583.4 (Use 35 EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES II NO Qualified Person's Name:				

. .

.

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 5-29-2024 Time: Type of Inspection: Weekly W Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 35			
1)	General Condition	EMPTY (☐ FULL ☐ Y FULL ☑	EMPTY PARTIALLY I	FULL 🛛		
2)	Water Level in Pond	NOF HIG LOV		NORM HIGH LOW	AL 🗆		
3)	Is Ash Being Removed?	YES [NO 🗹	YES 🗆	NO Z		
4)	In Service?		NO ☑		NO 🖫		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO E	YES 🗆	NO 🗹		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO Q		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
10)	Visible Releases	YES 🗆	ио ⋈	YES 🗆	NO 🗹		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES NO 12 12.a) If YES, Describe in Detail:				
12.b) Specific Location;				
12.c) Is Water Level Below Damage? YES NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:				
PONDS 1N, 15:				
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO NO If Yes — contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking D Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 105 Elevation (FT/MSL) 583.5 (Use 3S EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES ☑ NO □				
Qualified Person's Name:				