TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

.KUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date	e: 6-23-24 Time: 9:00 Type of Insp	ection: We	eekly 🔰 S	itorm Event		
	NDS 2S AND 3S: NERAL INFORMATION:	POND 2S		POND 35		
1)	General Condition	EMPTY PARTIALLY	FULL 🖸	EMPTY PARTIALLY I	FULL 🗆	
2)	Water Level in Pond	NORM HIGH		NOŖM HIGH		
3)	Is Ash Being Removed?	LOW YES [NO \$2	YES 🗆	NO X	
4)	In Service?		NO 💆		NO ♥️	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO X	YES 🗆	NO 🔀	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🕱	YES 🗆	NO 🗷	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO DE	YES 🗆	NO 13/	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 💆	YES 🗆	NO 🗵	
5)	Animal Burrows on embankments?	YES 🗆	NO 🛛	YES 🗆	NO 🛣	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🕱	YES 🗆	NO 🗷	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	ио ⊠	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🏻	YES 🗆	NO 🖾	
10)	Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO 🗖	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail: 5 Mall Practice on liner				
12.b) Specific Location: NE corner of 35 Pond				
12.c) Is Water Level Below Damage? YES NO N/A NO NO N/A				
PONDS 1N, 15:				
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO ★ 1) IS THERE ANY VISIBLE WATER POOLING 1S? YES □ NO ★ 1f Yes — contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking 0-0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 583.3 (Use 35 EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES ₹ NO □				
Qualified Person's Name:				

.

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years

	This is for all active (25&35) and inactive ponds (1N4) Inactive ponds are required to be maintained with CCR Unit Instrumentation should be inspected once	&S). water levels	below 1 foo			
Date	:: 06/29/2-24 Time: 12-0M Type of Insp	ection: We	eekly 🗹 S	torm Event		
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S		
1)	General Condition	EMPTY PARTIALLY	FULL D	EMPTY PARTIALLY I	FULL []	
2)	Water Level in Pond	NORM HIGH LOW	AL O	NORM HIGH LOW	AL 🗆 🖽	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	
4)	In Service?		NO 🕡		NO 🗹	
PH	YSICAL INSPECTION:					
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗷	YES 🗆	NO 🗹	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🖸	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🖸	YES 🗆	NO I	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO DZ	
5)	Animal Burrows on embankments?	YES 🗆	NO 🗖	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗗	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖸	YES 🗆	NO 🗹	
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO Ø	
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗖	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\Boxed{1} \) NO (1)
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \(\Boxed{1}\) NO (\overline{1}\)
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking Delevation (FT/MSL) 5803 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES W NO
Qualified Person's Name:

* 2