## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).					
Date: 3-7-2025 Time: 10:30 K Type of Inspection: Weekly X Storm Event					
PONDS 25 AND 35:  GENERAL INFORMATION:	POND 2S		POND 3S		
1) General Condition	EMPTY  FULL  EMPTY FULL PARTIALLY FULL		FULL		
2) Water Level in Pond	NORMAL   NORMAL				
2) Water Level in Pond	LOW	<b>Þ</b>	HIGH LOW	Ø	
3) Is Ash Being Removed?	YES 🗆	NO 🖾	YES 🗆	ио 🔀	
4) In Service?		NO 🖾		NO 🔯	
PHYSICAL INSPECTION:					
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 💆	YES 🗆	NO 12	
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио 🛱	YES 🗆	NO 🖾	
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🖾	
4) Cracking on Embankments/Berms?	YES 🗆	ио 🖄	YES 🗆	NO 🗷	
5) Animal Burrows on embankments?	YES 🗆	ио ₽	YES 🗆	NO 🖾	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.					
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO ⊠	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	
8) Debris on embankments/berms?	YES 🗆	NO 🗵	YES 🗆	NO 🗹	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	ио ⊠	
10) Visible Releases	YES 🗆	NO 🗵	YES 🗆	NO 🗵	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO M 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO N/A N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A   12.f) Notified Station Management of Damage? YES   Date Notified: N/A   12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   NO   NO   If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION  25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 5883 (Use 25 EL Gauging Chart App A)  35 Level (ft) Gauge Marking 20 Elevation (FT/MSL) 584.0 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES NO 🗆
Qualified Person's Name:

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

pection: We	eekly 🔀 S	itorm Event				
POND 25		POND 3S				
7 011	<i>D</i> 23	1 0110 33				
EMPTY 🗆	FULL 🗆	ЕМРТҮ 🗆	FULL 🗆			
PARTIALLY FULL  PARTIALLY		FULL 😰				
NORMAL		NORMAL				
HIGH		нідн				
LOW		row	112			
YES 🗆	NO 🗹	YES 🗆	NO 🗹			
	NO 🖸		NO 🗊			
PHYSICAL INSPECTION:						
YES 🗆	NO 🖟	YES 🗆	NO 🗹			
YES 🗆	NO O	YES 🗆	NO 🗹			
YES 🗆	NO Œ	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 😰			
YES 🗆	NO 🗂	YES 🗆	NO 🗊			
5) Animal Burrows on embankments? YES NO YES NO YES NO NO ANIMAL YES NO						
YES 🗆	NO D	YES 🗆	NO DV			
YES 🗆	NO 🕡	YES 🗆	NO 🖫			
YES 🗆	NO 🗷	YES 🗆	NO 🗹			
YES 🗆	NO 🖬	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 🖟			
	PON  EMPTY   PARTIALLY  NORM HIGH LOW  YES   YES	POND 2S  EMPTY   FULL   PARTIALLY FULL	POND 2S  EMPTY   FULL   EMPTY   PARTIALLY   PARTIALLY FULL   PARTIALLY   NORMAL   NORM HIGH   HIGH LOW   VES   NO   YES   YES   NO   YES   YES			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO N/A N/A 12.d) If No, Did You Reduce Pond Level? YES N/A 12.d
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 15:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   2) IS THERE ANY VISIBLE WATER POOLING 1S? YES   NO   If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking Elevation (FT/MSL) S88.3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 2.15 Elevation (FT/MSL) 584. (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name: