## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at <u>least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).

ec per week t	ypically off i	riuay).				
spection: W	eekly 🖪 S	storm Event				
POND 2S		POND 3S				
EMPTY  PARTIALLY	FULL I	EMPTY  PARTIALLY F	FULL D			
NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	AL 🗆			
YES 🗆	NO 🗷	YES 🗆	NO 🗗			
	NO 🗷		NO 🗷			
PHYSICAL INSPECTION:						
YES 🗆	NO 🗹	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 🕡			
YES 🗆	NO 🗹	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 🗗			
YES 🗆	NO 🗹	YES 🗆	NO 🗷			
th, and West (	of ponds incl	uding outside	the fence			
YES 🗆	NO 🗷	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 🗹			
YES 🗆	NO 🗷	YES 🗆	ио 🗹			
YES 🗆	NO L	YES 🗆	NO 🗹			
YES 🗆	NO 🗹	YES 🗆	NO 🗷			
	PON  EMPTY   PARTIALLY  NORM HIGH LOW  YES   YES	POND 2S  POND 2S  EMPTY   FULL   PARTIALLY FULL   PARTIAL	POND 2S  EMPTY   FULL   EMPTY   PARTIALLY FOULL   PARTIALLY FULL   PARTIALLY FOULL   PARTIALLY FOULL			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12,g) Additional Comments:
PONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   2) IS THERE ANY VISIBLE WATER POOLING 1S? YES   NO   NO   NO   NO   NO   NO   NO   N
If Yes – contact the Environmental Specialist  POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking < D Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.3 Elevation (FT/MSL) 589.6 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name:

. . .

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS**:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	5) CCR Unit Instrumentation should be inspected once			riday).			
<u>Date</u>	e: 4-25-25 Time: 12:30 Type of Insp	ection: W	eekly 💢 S	Storm Event (	<b>-</b>		
	NERAL INFORMATION:	POND 2S		POND 3S			
1)	General Condition	EMPTY ☐ FULL ☐ PARTIALLY FULL 🕉		EMPTY   FULL   PARTIALLY FULL   D			
2)	Water Level in Pond	NORM HIGH LOW	IAL □ □ □ □ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	NORM HIGH LOW	AL [] [] []		
3)	Is Ash Being Removed?	YES 🗆	NO X	YES 🗆	NO XI		
4)	In Service?		NO 🔀		NO 5 <del>2</del>		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	ио 🕍	YES 🗆	ио 🎢		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO NO	YES 🗆	NO 134		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🕰	YES 🗆	NO 154		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔀		
5)	Animal Burrows on embankments?	YES 🗆	NO BL	YES 🗆	NO C		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🏌	YES 🗆	NO D		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO X	YES 🗆	NO ₹⁄⁄		
8)	Debris on embankments/berms?	YES 🗆	NO 🖄	YES 🗆	NO 5		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🌠	YES 🗆	NO ₽		
10)	Visible Releases	YES 🗆	NO 🎾	YES 🗆	NO 150		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES $\square$ N/A $\square$
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 15
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \( \square\) NO \( \frac{\text{NO}}{\text{V}} \)
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking <u>()-0</u> Elevation (FT/MSL) <u>586.3</u> (Use <u>25</u> EL Gauging Chart App A)  3S Level (ft) Gauge Marking <u>(-3)</u> Elevation (FT/MSL) <u>583.3</u> (Use <u>35</u> EL Gauging Chart App B)
SS Level (ft) Gauge Marking (-3 Elevation (FT/MSL) 583.3 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES MO   NO   NO   NO   NO   NO   NO   NO
Qualified Person's Name: