## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).

4) Inactive ponds are required to be maintained with water levels below 1 foot.  5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).								
Date: 2-23-2025 Time: 1100HQ\$ Type of Inspection: Weekly ✓ Storm Event □								
PONDS 25 AND 35: GENERAL INFORMATION:		POND 2S		POND 35				
1)	General Condition	EMPTY  PARTIALLY	FULL 🖸	EMPTY  PARTIALLY I	FULL 🗆			
2)	Water Level in Pond	NORM HIGH LOW	AL O	NORM HIGH LOW	AL 🗆			
3)	Is Ash Being Removed?	YES 🗆	NO ₺	YES 🗆	NO 🗹			
4)	In Service?		NO 🗹		NO 🗹			
PHYSICAL INSPECTION:								
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆 ×	NO 🗹	YES 🗆	NO 🛮			
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
5)	Animal Burrows on embankments?	YES 🗆	NO 1	YES 🗆	NO 🗹			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.								
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO IZ			
7)	Slope Erosion on berms or embankments?	YES 🗆	NO I	YES 🗆	NO 🗹			
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖸			
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
10)	Visible Releases	YES 🗆	NO 🗊	YES 🗆	NO 🗹			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO 12  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA NA
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES   Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   2) IS THERE ANY VISIBLE WATER POOLING 1S? YES   NO   If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking Elevation (FT/MSL) 588,3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 2.0 Elevation (FT/MSL) 584.0 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
Qualified Person's Name:

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.

3	The inspection records must be maintained at the S This is for all active (25&35) and inactive ponds (1N Inactive ponds are required to be maintained with CCR Unit Instrumentation should be inspected once	&S). water levels l	below 1 foo					
Date: 2267005 Time: 10715 Type of Inspection: Weekly   Storm Event								
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 35				
1)	General Condition	EMPTY  PARTIALLY	FULL 🗆	EMPTY  PARTIALLY	FULL □ FULL E			
2)	Water Level in Pond	NORM HIGH LOW	IAL   D  D  D  T  T  T  T  T  T  T  T  T  T	NORM HIGH LOW	AL 🗆 D			
3)	Is Ash Being Removed?	YES 🗆	NO 💆	YES 🗆	NO 🌣			
4)	In Service?		мо 🔀		NO 🔟			
PHYSICAL INSPECTION:								
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO DE	YES 🗆	NO 😿			
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO DE	YES 🗆	NO 🔯			
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔯	YES 🗆	NO DE			
4)	Cracking on Embankments/Berms?	YES 🗆	NO A	YES 🗆	NO 💆			
5)	Animal Burrows on embankments?	YES 🗆	NO 🔼	YES 🗆	NO 🖾			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.								
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	№ 🏹	YES 🗆	NO 🔀			
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 💆	YES 🗆	NO D			
8)	Debris on embankments/berms?	YES 🗆	NO 1/2	YES 🗆	ио ₩			
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🖳	YES 🗆	NO 🎦			
10	Visible Releases	YES 🗆	NO 🏂	YES 🗆	NO DE			
				-	-			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES INO NO 12.a) If YES, Describe in Detail:					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES  NO N/A  N/A 12.d) If No, Did You Reduce Pond Level? YES N/A					
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A					
12.f) Notified Station Management of Damage? YES   Date Notified: N/A					
12.g) Additional Comments:					
PONDS 1N, 15:					
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO					
2) IS THERE ANY VISIBLE WATER POOLING 15? YES  NO 10					
If Yes — contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION  25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)  35 Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B)					
Gauge Marker Instrument is in good condition and readable YES № NO □					
Qualified Person's Name:					

.