TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date: 11-20-2024Time: 0940 Type of Inspection: Weekly Ø Storm Event □						
PONDS 25 AND 35: GENERAL INFORMATION:	POND 2S		PON	POND 3S		
1) General Condition	EMPTY ☐ FULL ☐ EMPTY ☐ FULL ☐ PARTIALLY FULL ※ PARTIALLY FULL ※			FULL 🗆		
2) Water Level in Pond	NORM HIGH LOW	IAL	NORM HIGH LOW	AL 🗆		
3) Is Ash Being Removed?	YES 🗆	NO 🖄	YES 🗆	NO 🗗		
4) In Service?		NO 🖄		ио Ф		
PHYSICAL INSPECTION:						
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	ио 🕱	YES 🗆	NO À		
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио ⊠	YES 🗆	NO IX		
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗹		
4) Cracking on Embankments/Berms?	YES 🗆	NO 🛱	YES 🗆	NO 🕅		
5) Animal Burrows on embankments?	YES 🗆	NO 🔀	YES 🗆	NO Æ		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO Ø	YES 🗆	NO 🏝		
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🔯	YES 🗆	NO 🗷		
8) Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🔯		
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	ио 🕱	YES 🗆	NO 🖄		
10) Visible Releases	YES 🗔	NO 🖸	YES 🗆	NO 🖾		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A 12.d) If No, Did You Reduce Pond Level? YES N/A 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.e
12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO NO If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking C Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 💆 NO 🗆
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

	4) Inactive ponds are required to be maintained with5) CCR Unit Instrumentation should be inspected once					
<u>Dat</u>	: 11-23-2024 Time: 1300 Type of Insp	ection: We	eekly 🗹 S	itorm Event		
	NDS 25 AND 35: NERAL INFORMATION:	POND 2S POND 3S		D 3S		
1)	General Condition	EMPTY FULL EMPTY FE		FULL 🗆		
2)	Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM HIGH LOW	AL O	
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	In Service?		NO 🗊		NO 🗹	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO DE	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5)	Animal Burrows on embankments?	YES 🗆	NO 🙀	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO □	
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖸	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10)	Visible Releases	YES 🗆	NO 🗆	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO D 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO (1) 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO (1) If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking O Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES MO
Qualified Person's Name: