## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).

5) CCR Unit Instrumentation should be inspected onc							
Date: 12/15/24 Time: 9:00 A Type of Inst	ection: We	ekiy 🔼 S	itorm Event (				
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S POND 3S		D 3S				
1) General Condition			EMPTY  PARTIALLY F	FULL []			
2) Water Level in Pond		AL 🗆	NORM HIGH LOW				
3) Is Ash Being Removed?	YES 🗆	NO ⋈	YES 🗆	NO X			
4) In Service?		NO 🔯		NO 🗵			
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🖾	YES 🗆	NO 🗵			
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	мо 🖄	YES 🗆	NO 🔯			
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO Ø			
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔯	YES 🗆	NO 🔯			
5) Animal Burrows on embankments?	YES 🗆	NO 🔯	YES 🗆	NO 🖾			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	ио 🗵	YES 🗆	ио ⊠			
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	ИО ⋈			
8) Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	ио 🖄			
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗵	YES 🗆	NO 🗵			
10) Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO 'E			
1 of 2	)		-	4			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 54  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO NA
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   NO   NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES  NO C
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking Elevation (FT/MSL) (Use <u>2S</u> EL Gauging Chart App A)
2S Level (ft) Gauge Marking 00 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)  3S Level (ft) Gauge Marking 1.6 Elevation (FT/MSL) 583.4 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES   NO □
Qualified Person's Name:

.

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date	:: 12-18-2024 Time: 11:15AM Type of Insp			Storm Event	
	NDS 25 AND 35: NERAL INFORMATION:	POND 2S		POND 3S	
1)	General Condition	EMPTY   PARTIALLY	FULL 🖸	EMPTY  PARTIALLY F	FULL []
2)	Water Level in Pond	NORM HIGH LOW	IAL	NORM HIGH LOW	AL 🗆
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🖳
4)	In Service?		NO 🖫		NO 🖳
PH	YSICAL INSPECTION:				
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🖳
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO E	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗗
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🖳
5)	Animal Burrows on embankments?	YES 🗆	NO 1	YES 🗆	ио ц
The area	3 descriptions (#6-8) below refer to areas to East, Souti	h, and West o	of ponds incl	uding outside	the fence
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO I	YES 🗆	NO 🖬
7)	Slope Erosion on berms or embankments?	YES 🗆	NO E	YES 🗆	NO 🗗
8)	Debris on embankments/berms?	YES 🗆	NO DZ	YES 🗆	NO D
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10)	Visible Releases	YES 🗆	NO 🗗	YES 🗆	NO 🖫

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:				
12) Is there any damage to Pond Liner: YES  NO  12.a) If YES, Describe in Detail:				
12.b) Specific Location:				
12.c) Is Water Level Below Damage? YES  NO  N/A  N/A  12.d) If No, Did You Reduce Pond Level? YES  N/A				
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A				
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □				
12.g) Additional Comments:				
PONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   2) IS THERE ANY VISIBLE WATER POOLING 1S? YES   NO   NO				
If Yes – contact the Environmental Specialist				
POND LEVEL INSTRUMENTATION				
2S Level (ft) Gauge Marking 0 Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A)				
3S Level (ft) Gauge Marking 1.6 Elevation (FT/MSL) 583.6 (Use 3S EL Gauging Chart App B)				
Gauge Marker Instrument is in good condition and readable YES 🖫 NO 🗆				
Qualified Person's Name:				