TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 2-4-2024 Time: 08:00 Type of Ir	spection: We	ekly 🛱 S	torm Event				
PONDS 2S AND 3S:	DONI	POND 2S		POND 35			
GENERAL INFORMATION:	roid	PONU 25		POND 33			
General Condition	ЕМРТУ 🗆	FULL 🗆	EMPTY 🗆	FULL 🗆			
	PARTIALLY	PARTIALLY FULL 🔀		PARTIALLY FULL 🕱			
	NORM	NORMAL		NORMAL			
2) Water Level in Pond	HIGH		HIGH				
	LOW	×	FOM	×			
3) Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO X			
4) In Service?		NO 152		NO (Z)			
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 52	YES 🗆	ио 🗵			
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 💢	YES 🗆	NO 🖾			
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 💢	YES 🗆	NO 🛛			
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔯	YES 🗆	NO DX			
5) Animal Burrows on embankments?	YES 🗆	ио 🔀	YES 🗆	NO X			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	ио ⋈	YES 🗆	NO 🔀			
7) Slope Erosion on berms or embankments?	YES 🗆	ио 🕅	YES 🗆	NO 🔯			
8) Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO X			
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🛛	YES 🗆	NO 🖾			
10) Visible Releases	YES 🗆	NO 🔯	YES 🗆	NO 🔀			
1.	of 7			e ^t			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO X 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:
PONDS 1N, 15: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO NO If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION 2S Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 586.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES № NO □
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.

3	The inspection records must be maintained at the S This is for all active (25&35) and inactive ponds (1Nd) Inactive ponds are required to be maintained with the S CCR Unit Instrumentation should be inspected once	&S). water levels l	oelow 1 foot	t. Junday).	
<u>Date</u>	:2-7-2024 Time:1100HL5 Type of Insp	ection: We	ekly 🗹 S	torm Event	=
	NDS 2S AND 3S: NERAL INFORMATION:	PONE	25	PON	D 35
1)	General Condition	EMPTY PARTIALLY I	FULL []	EMPTY PARTIALLY I	FULL [7]
2)	Water Level in Pond	NORM HIGH LOW	AL C	NORM HIGH LOW	AL 🗆
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	In Service?		NO 🗹		NO 🗹
PH	YSICAL INSPECTION:				<u> 1 1018</u>
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO E	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO Ø	YES 🗆	NO 12
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO E
The area	3 descriptions (#6-8) below refer to areas to East, Souti a.	h, and West o	of ponds incl	uding outside	the fence
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES I NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking 0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.5 (Use 35 EL Gauging Chart App B)
3S Level (ft) Gauge Marking $\frac{1.05}{1.05}$ Elevation (FT/MSL) $\frac{583.5}{1.05}$ (Use $\frac{35}{1.05}$ EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name: