TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 4-6-2025 Time: 09:00 Type of Inst	ection: We	ekly 💢 S	itorm Event				
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S		POND 3S				
1) General Condition	EMPTY PARTIALLY I	FULL []	EMPTY PARTIALLY I	FULL 🗆			
2) Water Level in Pond	NORM HIGH LOW	AL D	NORM HIGH LOW	AL 🗆			
3) Is Ash Being Removed?	YES 🗆	NO [2]	YES 🗆	NO 154			
4) In Service?		NO 🔯		NO 154			
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	ио 🌣	YES 🗆	NO DE			
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	ио 🕱	YES 🗆	NO ⊠			
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔀			
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗸	YES 🗆	NO ⊠			
5) Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🔀			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	мо 🛱	YES 🗆	NO [X]			
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🔯	YES 🗆	NO 🏹			
8) Debris on embankments/berms?	YES 🗆	NO 🖾	YES 🗆	NO 💯			
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	№ 🗖	YES 🗆	ио 🔯			
10) Visible Releases	YES 🗆	NO NO	YES 🗆	NO D			

11) If	Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is	there any damage to Pond Liner: YES NO NO
12.	a) If YES, Describe in Detail:
12.	b) Specific Location:
12.	c) Is Water Level Below Damage? YES NO N/A
12.	d) If No, Did You Reduce Pond Level? YES N/A
12.	e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.	f) Notified Station Management of Damage? YES Date Notified: N/A
12.	g) Additional Comments:
	IS THERE ANY VISIBLE WATER POOLING 1N? YES NO
	LEVEL INSTRUMENTATION el (ft) Gauge Marking $\frac{0.0}{17}$ Elevation (FT/MSL) $\frac{588.3}{583.7}$ (Use $\frac{25}{58}$ EL Gauging Chart Appel (ft) Gauge Marking $\frac{1.7}{17}$ Elevation (FT/MSL) $\frac{583.7}{10}$ (Use $\frac{35}{10}$ EL Gauging Chart Appel (ft) Gauge Marking $\frac{1.7}{10}$
Gauge	Marker Instrument is in good condition and readable YES NO NO

1,

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

	 This is for all active (25&35) and inactive ponds (1N4) Inactive ponds are required to be maintained with 	&S). water levels	below 1 foo					
5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday). Date: 4/11/25 Time: 10:30 Am Type of Inspection: Weekly Storm Event								
-	NDS 2S AND 3S: NERAL INFORMATION:	POND 2S		POND 35				
1)	General Condition			EMPTY PARTIALLY	FULL []			
		NORN	AL 🗆	NORMAL				
2)	Water Level in Pond	HIGH 🗆 /		нібн	□ <u>,</u>			
		LOW	œ,	row	o,			
3)	Is Ash Being Removed?	YES 🗆	NO I	YES 🗆	NO 🗹			
4)	In Service?		NO 🖬		NO 🖾			
PHYSICAL INSPECTION:								
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹			
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO E			
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO I			
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🕡	YES 🗆	NO 🗹			
5)	Animal Burrows on embankments?	YES 🗆	NO 🖸	YES 🗆	NO 🗹			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.								
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖸	YES 🗆	NO 🖸			
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO U			
8)	Debris on embankments/berms?	YES 🗆	NO D	YES 🗆	NO 🗹			
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO D	YES 🗆	NO 🖸			
10)	Visible Releases	YES 🗆	NO 🖸	YES 🗆	NO 🖪			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\text{NO } \text{II} \) 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \(\text{NO } \text{II} \)
If Yes – contact the Environmental Specialist
2S Level (ft) Gauge Marking 60 Elevation (FT/MSL) 583.5 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.5' Elevation (FT/MSL) 583.5 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name:

* Q