TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date: 4 14-2025 Time: 11:00 Type of Insp	ection: We	eekly 5	itorm Event	
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S		POND 3S	
1) General Condition	EMPTY FULL PARTIALLY FULL		EMPTY D FULL D PARTIALLY FULL D	
2) Water Level in Pond	NORM HIGH LOW	MAL	NORM HIGH LOW	AL □
3) Is Ash Being Removed?	YES 🗆	NO 152	YES 🗆	NO 🕅
4) In Service?		NO 🔯		NO 🎾
PHYSICAL INSPECTION:			10	
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 12	YES 🗆	NO IX
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🔯
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔯	YES 🗆	ио ⊠
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔯
5) Animal Burrows on embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🍱
The 3 descriptions (#6-8) below refer to areas to East, Southarea.	h, and West o	of ponds incl	uding outside	the fence
6) Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO A	YES 🗆	NO X
7) Slope Erosion on berms or embankments?	YES 🗆	NO X	YES 🗆	NO DE
8) Debris on embankments/berms?	YES 🗆	NO X	YES 🗆	NO 🔯
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 20	YES 🗆	ио ⊠
10) Visible Releases	YES 🗆	NO 🕅	YES 🗆	NO 💆

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO X 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES IN NO 1
2) IS THERE ANY VISIBLE WATER POOLING 15? YES - NO 1
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking < 0 r 0 Elevation (FT/MSL) 583.4 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)
3S Level (ft) Gauge Marking Elevation (FT/MSL) (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES № NO □
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will
 County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot

5) CCR Unit Instrumentation should be inspected one						
Date: 4-18-25 Time: 12:30 Type of Inspection: Weekly Storm Event						
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S POND 35		D 3S			
1) General Condition			EMPTY PARTIALLY I	EMPTY FULL PARTIALLY FULL 54		
2) Water Level in Pond	NORM HIGH LOW	IAL 🗆	NORM HIGH LOW	AL 🗆		
3) Is Ash Being Removed?	YES 🗆	NO 🔀	YES 🗆	NO 🔼		
4) In Service?		NO F		NO 🔀		
PHYSICAL INSPECTION:						
 Seepage from or through embankment? Includes roads around ponds and outside fence. 	YES 🗆	NO D	YES 🗆	νο Φ		
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🦻	YES 🗆	NO 💹		
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO DE	YES 🗆	NO 🔀		
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗷	YES 🗆	NO 🕅		
5) Animal Burrows on embankments?	YES 🗆	NO D	YES 🗆	NO 🗷		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 5	YES 🗆	NO 🗷		
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🖾	YES 🗆	NO 🌠		
8) Debris on embankments/berms?	YES 🗆	NO 🞾	YES 🗆	NO M		
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 02	YES 🗆	NO 🔽		
10) Visible Releases	YES 🗆	NO D	YES 🗆	NO 🖳		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES NO					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES □ NO □ N/A □ 12.d) If No, Did You Reduce Pond Level? YES □ N/A □					
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A					
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □					
12.g) Additional Comments:					
PONDS 1N, 1S:					
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO					
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO					
If Yes – contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION					
2S Level (ft) Gauge Marking 6.0 Elevation (FT/MSL) 58.3 (Use 25 EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.5 Elevation (FT/MSL) 583.6 (Use 35 EL Gauging Chart App B)					
Gauge Marker Instrument is in good condition and readable YES № NO □					
Qualified Person's Name:					

.