TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (258.35) and inactive ponds (1M8.5)

| 4) Inactive ponds are required to be maintained with water levels below 1 foot. 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday). Date: 1-12-2025Time: 1100 HRSType of Inspection: Weekly II Storm Event | | | | | | |
|--|--|---------------------|------|---------------------|--------|--|
| <u>PO</u> | NDS 2S AND 3S: NERAL INFORMATION: | POND 2S | | POND 35 | | |
| 1) | General Condition | EMPTY D FULL D | | EMPTY PARTIALLY F | FULL D | |
| 2) | Water Level in Pond | NORM HIGH LOW | AL D | NORM HIGH LOW | AL O | |
| 3) | Is Ash Being Removed? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 4) | In Service? | | NO 🗹 | | NO 🗹 | |
| PH | PHYSICAL INSPECTION: | | | | | |
| 1) | Seepage from or through embankment? Includes roads around ponds and outside fence. | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 2) | Sinkholes/Depressions/Bulges in Pond or embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 3) | Signs of Piping/Channels or other Internal Erosion on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 4) | Cracking on Embankments/Berms? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 5) | Animal Burrows on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area. | | | | | | |
| 6) | Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) | YES 🗆 | NO 🗖 | YES 🗆 | NO 🗹 | |
| 7) | Slope Erosion on berms or embankments? | YES 🗆 | NO ☑ | YES 🗆 | NO 🗹 | |
| 8) | Debris on embankments/berms? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 9) | Deterioration, malfunctions, or improper operation of overtopping control systems | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 10) | Visible Releases | YES 🗔 | NO 🗹 | YES 🗆 | NO 🗹 | |
| | 4 -67 | | | | | |

| 11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: |
|---|
| 12) Is there any damage to Pond Liner: YES IND INTERPORT NO INTERPORT |
| 12.b) Specific Location: |
| 12.c) Is Water Level Below Damage? YES NO N/A |
| 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments: |
| PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO [7] |
| 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO If Yes — contact the Environmental Specialist |
| POND LEVEL INSTRUMENTATION 25 Level (ft) Gauge Marking Elevation (FT/MSL) (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking Elevation (FT/MSL) (Use 35 EL Gauging Chart App B) |
| Gauge Marker Instrument is in good condition and readable YES ☑ NO □ |
| Qualified Person's Name: |

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

| | 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday). | | | | |
|--|--|---------------------|------|----------------------|---------|
| Date: 1-15-2025 Time: 8:00 AM Type of Inspection: Weekly W Storm Event | | | | | |
| PONDS 2S AND 3S: GENERAL INFORMATION: | | POND 2S | | POND 3S | |
| 1) | General Condition | EMPTY D FULL D | | EMPTY PARTIALLY F | FULL [] |
| 2) | Water Level in Pond | NORM HIGH LOW | AL 🗆 | NORM. HIGH LOW | AL 🗆 |
| 3) | Is Ash Being Removed? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🖳 |
| 4) | In Service? | | NO 🖾 | | NO 🗹 |
| PHYSICAL INSPECTION: | | | | | |
| 1) | Seepage from or through embankment? Includes roads around ponds and outside fence. | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 |
| 2) | Sinkholes/Depressions/Bulges in Pond or embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 |
| 3) | Signs of Piping/Channels or other Internal Erosion on embankments? | YES 🗆 | NO 🗷 | YES 🗆 | NO 🗷 |
| 4) | Cracking on Embankments/Berms? | YES 🗆 | NO 🗹 | YES 🗆 | NO [Z |
| 5) | Animal Burrows on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 |
| The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area. | | | | | |
| 6) | Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) | YES 🗆 | NO 🗷 | YES 🗆 | NO 🗷 |
| 7) | Slope Erosion on berms or embankments? | YES 🗆 | NO 🖸 | YES 🗆 | NO 🗷 |
| 8) | Debris on embankments/berms? | YES 🗆 | NO 🖬 | YES 🗆 | NO 🗹 |
| 9) | Deterioration, malfunctions, or improper operation of overtopping control systems | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 |
| 10) | Visible Releases | YES 🗆 | NO 🖬 | YES 🗆 | NO 🗹 |

| 11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: |
|--|
| 12) Is there any damage to Pond Liner: YES NO TO |
| 12.a) If YES, Describe in Detail: |
| 12.b) Specific Location: |
| 12.c) Is Water Level Below Damage? YES □ NO □ N/A □ |
| 12.d) If No, Did You Reduce Pond Level? YES N/A |
| 12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A |
| 12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □ |
| 12.g) Additional Comments: Ponds covered with Ice + Snow in Most areas |
| |
| PONDS 1N, 1S: |
| 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\square\) NO \(\sqrt{S}\) |
| 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO |
| |
| If Yes — contact the Environmental Specialist |
| POND LEVEL INSTRUMENTATION |
| 25 Level (ft) Gauge Marking O Elevation (FT/MSL) 583.3 (Use 25 EL Gauging Chart App A) |
| 3S Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 3S EL Gauging Chart App B) |
| |
| Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆 |
| Qualified Person's Name: |

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.

| This is for all active (25&35) and inactive ponds (1N&5). Inactive ponds are required to be maintained with water levels below 1 foot. | | | | | | |
|---|--|-----------|---------|-------------|---------|--|
| 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday). Date: 1-19-2025 Time: 6-30 Type of Inspection: Weekly Storm Event | | | | | | |
| PO | PONDS 2S AND 3S: | | | | | |
| <u>GE</u> | GENERAL INFORMATION: | | POND 2S | | POND 35 | |
| 1) | General Condition | ЕМРТУ 🗆 | FULL 🗆 | EMPTY 🗆 | FULL 🗆 | |
| | | PARTIALLY | FULL 🔼 | PARTIALLY I | FULL 🕱 | |
| | | NORMAL | | NORMAL | | |
| 2) | Water Level in Pond | HIGH | | HIGH | | |
| | | LOW | × | LOW | × | |
| 3) | Is Ash Being Removed? | YES 🗆 | NO 💢 | YES 🗆 | NO 🔼 | |
| 4} | In Service? | | NO 🗵 | | NO 🗷 | |
| PHYSICAL INSPECTION: | | | | | | |
| 1) | Seepage from or through embankment? Includes roads around ponds and outside fence. | YES 🗆 | ио 🎾 | YES 🗆 | NO 🖾 | |
| 2) | Sinkholes/Depressions/Bulges in Pond or embankments? | YES 🗆 | NO 🗷 | YES 🗆 | NO 🗵 | |
| 3) | Signs of Piping/Channels or other Internal Erosion on embankments? | YES 🗆 | NO 🗹 | YES 🗆 | NO 🗹 | |
| 4) | Cracking on Embankments/Berms? | YES 🗆 | NO 🔽 | YES 🗆 | NO 🔀 | |
| 5) | Animal Burrows on embankments? | YES 🗆 | NO 🖾 | YES 🗆 | NO 🔽 | |
| The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area. | | | | | | |
| 6) | Excessive or Lacking Vegetative Cover on embankments? (should be normal growth) | YES 🗆 | ио 🖄 | YES 🗆 | NO 💢 | |
| 7) | Slope Erosion on berms or embankments? | YES 🗆 | ио 🛱 | YES 🗆 | NO 🛱 | |
| 8) | Debris on embankments/berms? | YES 🗆 | ио 🖄 | YES 🗆 | ио ⋈ | |
| 9) | Deterioration, malfunctions, or improper operation of overtopping control systems | YES 🗆 | ио ⊠ | YES 🗆 | NO 🔯 | |
| 10 | Visible Releases | YES 🗆 | ио 🏚 | YES 🗆 | NO 💆 | |

| 11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain: |
|--|
| 12) Is there any damage to Pond Liner: YES INO X 12.a) If YES, Describe in Detail: |
| 12.b) Specific Location: |
| 12.c) Is Water Level Below Damage? YES \(\text{NO} \) N/A \(\text{NO} \) 12.d) If No, Did You Reduce Pond Level? YES \(\text{N/A} \) 12.e) Notified Shift Supervisor of Damage? YES \(\text{Date Notified: N/A } \) 12.f) Notified Station Management of Damage? YES \(\text{Date Notified: N/A } \) 12.g) Additional Comments: |
| PONDS 1N, 15: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO NO NO NO NO NO N |
| 25 Level (ft) Gauge Marking 6 Elevation (FT/MSL) 588-3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B) |
| Gauge Marker Instrument is in good condition and readable YES NO Qualified Person's Name: |