## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS**:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

	<ul><li>4) Inactive ponds are required to be maintained with</li><li>5) CCR Unit Instrumentation should be inspected once</li></ul>				
<u>Date</u>	e: <u>2-12-2025 Time: 0830</u> Type of Insp	ection: We	ekly 🗹 S	torm Event	
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S	
1)	General Condition	EMPTY  PARTIALLY	FULL []	EMPTY  PARTIALLY I	FULL []
		NORMAL		NORMAL	
2)	Water Level in Pond	HIGH		нібн	
	¥8	row	ď	LOW	Ø
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	In Service?		NO 🗹		NO 🗹
PHYSICAL INSPECTION:					
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🔯
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.					
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖸	YES 🗆	NO 🗹
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES  NO NA
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A   12.f) Notified Station Management of Damage? YES   Date Notified: N/A   12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES ☐ NO ☑  2) IS THERE ANY VISIBLE WATER POOLING 1S? YES ☐ NO ☑
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking $\bigcirc$ Elevation (FT/MSL) $\underline{588.3}$ (Use $\underline{25}$ EL Gauging Chart App A) 35 Level (ft) Gauge Marking $\bigcirc$ Elevation (FT/MSL) $\underline{584.0}$ (Use $\underline{35}$ EL Gauging Chart App B)
3S Level (ft) Gauge Marking $2 \omega$ Elevation (FT/MSL) $584 \omega$ (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗹 NO 🗆
Qualified Person's Name:

. .

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## JCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

4) 5)						
<u>Date</u> :	2-15-25 Time: 10 AM Type of Insp	ection: We	ekly 🖭 S	torm Event(	ם	
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S		
1) G	Seneral Condition	EMPTY  PARTIALLY	FULL []	EMPTY  PARTIALLY F	FULL []	
2) V	Vater Level in Pond	NORM HIGH LOW	AL C	NORM HIGH LOW	AL 🗆	
3) Is	s Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	n Service?		NO 🗹		NO 🗹	
PHYSICAL INSPECTION:						
	eepage from or through embankment? Includes oads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO □	
1 '	inkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🖟	YES 🗆	NO 🗹	
1 '	igns of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	
4) C	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗷	
5) A	Animal Burrows on embankments?	YES 🗆	NO 🖬	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
	excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7) S	ilope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8) [	Debris on embankments/berms?	YES 🗆	NO 🗷	YES 🗆	NO 🗹	
	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO ₩	YES 🗆	NO 🔽	
10) V	/isible Releases	YES 🗆	NO 🔯	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES   NO   Pond Liner Not visible 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) is Water Level Below Damage? YES  NO N/A  N/A  12.d) If No, Did You Reduce Pond Level? YES N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/A
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A   12.f) Notified Station Management of Damage? YES   Date Notified: N/A   12.g) Additional Comments: Pour Liver Covered with Suow
ONDS 1N, 1S:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES   NO   NO
2) IS THERE ANY VISIBLE WATER POOLING 18? YES  NO  If Yes — contact the Environmental Specialist
OND LEVEL INSTRUMENTATION  S Level (ft) Gauge Marking O Elevation (FT/MSL) <u> </u>
IS Level (ft) Gauge Marking 2.0 Elevation (FT/MSL) 584.0 (Use 35 EL Gauging Chart App B)  Gauge Marker Instrument is in good condition and readable YES 12 NO 1
Qualified Person's Name:

. .