

## DATA SUMMARY POSTING

Station: Midwest Generation Will County Generating Station

Regulated Unit(s): Pond 2 S (IEPA ID No. W1978100011-03)  
Pond 3 S (IEPA ID No. W1978100011-04)

In accordance with the new Ill. Adm. Code Title 35, Part 845: Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments (State CCR Rule) groundwater monitoring was completed during the 2<sup>nd</sup> quarter 2024 which includes the entire list of parameters specified under Section 845.600(a)(1) and (b). Table 1 is a summary table of all available CCR monitoring data to date including any data generated previously as part of the Federal CCR Rule monitoring. In addition, Table 2 provides a summary of turbidity data which was collected as part of State CCR Rule requirements which is a data parameter that was not required under the Federal CCR Rule.

No background statistics or proposed Groundwater Protection Standards are included on these tables. The background statistics and Proposed Groundwater Protection Standards were submitted to Illinois Environmental Protection Agency (EPA) as part of the Application for Initial Operating Permit submitted October 31, 2021. Upon Illinois EPA approval of the Operating Permit and Proposed Groundwater Protection Standards, the approved comparison values will be included on the tables for subsequent data comparisons/evaluations.

Table 1. Groundwater Analytical Data, Pond 2S and Pond 3S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228 Combined	Selenium	Thallium	
MW-05 up-gradient	11/11/2015	6.1	220	110	0.31	7.24	770	1900	< 0.003	0.0014	0.071	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	0.0750	-0.168	0.031	< 0.002	
	2/18/2016	4.4	230	120	0.31	6.99	730	1600	< 0.003	0.0021	0.058	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.079	0.468	0.019	< 0.002	
	5/26/2016	3.7	170	110	0.33	6.73	670	1500	< 0.003	0.0023	0.055	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.077	< 0.402	0.019	< 0.002	
	8/10/2016	3.6	67	120	0.72	8.62	480	970	< 0.003	0.0044	0.043	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	F1 < 0.0002	0.14	< 0.394	0.0049	< 0.002	
	10/26/2016	3.6	44	120	0.70	9.08	410	920	< 0.003	0.0047	0.033	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.12	< 0.592	< 0.0025	< 0.002	
	2/1/2017	4.6	250	48	0.35	6.81	530	1600	< 0.003	0.0015	0.058	* < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.016	^ < 0.0002	0.048	< 0.424	0.029	< 0.002	
	5/11/2017	4.0	140	85	0.31	7.86	610	1200	< 0.003	0.0035	0.053	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.093	< 0.388	< 0.0025	< 0.002	
	6/27/2017	3.8	83	99	0.53	7.95	500	1000	< 0.003	0.0037	0.045	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.11	0.412	< 0.0025	< 0.002	
	9/8/2017	4.8	89	78	0.52	9.40	490	1000	< 0.003	0.0038	V 0.069	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.095	0.486	0.0047	< 0.002	
	11/16/2017	4.8	180	52	0.45	6.70	650	1500	< 0.003	0.0028	0.065	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.021	< 0.0002	0.064	< 0.379	0.012	< 0.002	
	5/2/2018	3.6	200	32	0.39	7.23	510	1300	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/3/2018	4.9	150	55	0.48	7.07	430	1200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/29/2019	4.1	61	91	0.59	9.10	380	870	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/6/2019	4.9	170	31	0.41	6.95	440	1200	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/22/2020	4.5	52	70	0.59	7.39	300	870	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/4/2020	5.0	130	29	0.38	7.06	410	1100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/24/2021	4.7	140	28	0.53	7.07	430	1000	< 0.003	0.0011	0.046	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.015	< 0.0002	0.063	< 0.492	0.042	< 0.002	
	8/24/2021	4.6	33	45	0.74	9.42	410	580	< 0.003	0.0054	0.028	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.091	1.230	< 0.0025	< 0.002	
	11/23/2021	5.5	140	22	0.44	6.80	370	1100	< 0.003	0.0035	0.066	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.066	0.784	0.012	< 0.002	
	2/24/2022	4.9	210	25	0.39	6.73	660	1400	< 0.003	0.0092	0.077	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.014	< 0.0002	0.059	< 0.415	0.048	< 0.002	
	6/16/2022	5.1	120	41	0.34	7.05	510	1100	< 0.003	0.0037	0.055	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.064	< 0.471	0.008	< 0.002	
	8/25/2022	6.6	130	20	0.4	6.69	300	940	< 0.003	0.0043	0.072	< 0.001	^1+ < 0.0005	< 0.005	< 0.001	< 0.0005	0.016	< 0.0002	0.061	< 0.570	0.0056	< 0.002	
	11/15/2022	8.9	150	9.8	0.72	6.78	310	930	< 0.003	0.032	0.099	^+ < 0.001	0.004	0.0083	< 0.001	< 0.0005	0.02	< 0.0002	0.1	< 0.569	0.089	< 0.002	
	2/23/2023	6.3	120	26	0.43	6.83	430	1100	< 0.003	0.0018	0.058	^1+ ^+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.00027	0.067	< 0.655	0.021	< 0.002	
	4/26/2023	4.9	210	33	0.47	6.73	670	1600	< 0.0030	0.0022	0.040	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.013	< 0.0002	0.055	< 0.479	0.039	< 0.0020	
	7/26/2023	4.8	180	18	0.50	6.91	440	1200	< 0.0030	0.0014	0.061	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.021	< 0.00020	0.053	0.823	0.070	< 0.0020	
	10/24/2023	6.8	140	8.6	0.52	6.68	210	850	< 0.0030	0.0014	0.074	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.023	< 0.00020	0.071	< 0.967	0.077	< 0.0020	
	12/7/2023 R	5.7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2/7/2024	4.8	260	38	0.32	6.62	800	1900	^1+ < 0.030	0.0018	0.060	^1+ < 0.010	^+ < 0.00050	< 0.0050	^+ < 0.0010	< 0.00050	0.017	< 0.00020	0.046	< 0.655	0.055	^+ < 0.0020	
	5/8/2024	5.3	83	34	0.65	7.36	450	930	< 0.030	0.0020	0.033	< 0.010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	0.050	< 0.00020	0.079	< 0.655	0.0054	< 0.0020	
MW-06 up-gradient	11/10/2015	3.0	52	100	0.55	8.63	300	660	< 0.003	0.0016	0.048	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.0670	-0.383	0.0039	< 0.002	
	2/18/2016	2.5	74	150	0.47	8.58	280	650	< 0.003	0.0014	0.068	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.015	< 0.0002	0.0630	0.412	< 0.0025	< 0.002	
	5/26/2016	2.7	86	92	0.44	7.79	350	800	< 0.003	0.002	0.068	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.042	< 0.422	< 0.0025	< 0.002	
	8/11/2016	3.6	110	58	0.35	7.74	330	840	< 0.003	0.0029	0.086	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.038	< 0.339	< 0.0025	< 0.002	
	10/26/2016	3.8	86	74	0.40	8.16	220	800	< 0.003	0.003	0.074	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	0.043	< 0.531	< 0.0025	< 0.002	
	2/1/2017	3.4	70	83	0.41	7.88	260	700	< 0.003	0.0043	0.068	* < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	^ < 0.0002	0.05	< 0.511	0.0035	< 0.002	
	5/11/2017	3.0	75	84	0.28	8.68	330	570	< 0.003	0.002	0.054	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.00054	0.011	< 0.0002	0.054	< 0.388	< 0.0025	< 0.002	
	6/27/2017	3.1	65	74	0.38	8.15	330	710	< 0.003	0.0014	0.069	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.046	0.408	< 0.0025	< 0.002	
	9/7/2017	3.5	75	67	0.40	8.20	300	740	< 0.003	0.0025	0.077	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.013	< 0.0002	0.044	0.397	< 0.0025	< 0.002	
	11/16/2017	3.9	88	54	0.39	7.59	280	810	< 0.003	0.0028	0.077	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.038	0.491	0.012	< 0.002	
	5/3/2018	3.0	91	52	0.26	6.91	530	750	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/25/2018 R	NA	NA	NA	NA	NA	7.47	280	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/3/2018	3.5	93	44	0.31	7.83	240	720	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/29/2019	4.3	120	38	0.21	7.51	350	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	7/3/2019 R	3.2	NA	NA	NA	8.28	NA	740	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/6/2019	4.2	98	31	0.33	7.91	210	740	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/22/2020	3.4	98	56	0.31	7.47	180	710	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/3/2020	3.3	100	43	0.36	7.29	170	700	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/24/2021	2.6	99	46	0.33	7.65	160	610	< 0.003	0.0025	0.08	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.016	< 0.0002	0.017	0.576	< 0.0025	< 0.002	
	8/24/2021	2.9	100	100	0.35	7.09	170	370	< 0.003	0.0029	0.093	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.021	< 0.0002	0.018	< 0.468	< 0.0025	< 0.002	
	11/23/2021	2.6	85	43	0.37	7.48	150	720	< 0.003	0.002	0.07	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.014	< 0.0002	0.017	1.02	< 0.0025	< 0.002	
	2/22/2022	2.8	130	35	0.33	7.29	260	940	< 0.003	0.0019	0.09	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.018	< 0.0002	0.033	0.551	0.05	< 0.002	
	6/14/2022	2.5	110	22	0.35	7.06	210	610	< 0.003	0.0018	0.082	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.014	< 0.0002	0.018	1.22	< 0.0025	< 0.002	
	8/25/2022	2.7	110	20	0.42	7.31	170	7															



Table 1. Groundwater Analytical Data, Pond 2S and Pond 3S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well	Date	Boron	Calcium	Chloride	Fluoride	pH	Sulfate	Total Dissolved Solids	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Lead	Lithium	Mercury	Molybdenum	Radium 226 + 228 Combined	Selenium	Thallium	
MW-11 down-gradient	11/10/2015	2.6	120	89	0.61	7.60	180	620	< 0.003	0.007	0.098	< 0.001	< 0.0005	< 0.005	< 0.001	0.00064	< 0.01	< 0.0002	0.0600	0.736	< 0.0025	< 0.002	
	2/16/2016	3.0	100	88	0.68	7.47	170	640	< 0.003	0.0059	0.11	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.078	1.14	< 0.0025	< 0.002	
	5/25/2016	2.8	82	98	0.75	7.43	170	640	< 0.003	0.0073	0.093	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.083	0.775	< 0.0025	< 0.002	
	8/10/2016	3.1	96	86	0.72	7.57	150	660	< 0.003	0.0072	0.12	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.010	< 0.0002	0.087	0.807	< 0.0025	< 0.002	
	10/26/2016	2.5	110	67	0.53	7.82	120	630	< 0.003	0.0082	0.096	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.00052	< 0.01	< 0.0002	0.043	0.51	< 0.0025	< 0.002	
	2/1/2017	3.9	110	72	0.65	7.54	110	600	< 0.003	0.011	0.15	* < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.076	0.909	< 0.0025	< 0.002	
	5/10/2017	3.1	95	84	0.46	8.37	170	590	< 0.003	0.014	0.14	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.074	1.03	< 0.0025	< 0.002	
	6/27/2017	2.8	87	90	0.59	7.57	150	680	< 0.003	0.0058	0.11	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.069	0.692	< 0.0025	< 0.002	
	9/7/2017	2.8	90	94	0.58	7.40	150	730	< 0.003	0.0074	0.11	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.067	0.676	< 0.0025	< 0.002	
	11/15/2017	2.9	96	100	0.65	7.41	160	750	< 0.003	0.0082	0.15	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.075	1.04	< 0.0025	< 0.002	
	5/3/2018	3.8	73	110	0.69	6.74	190	670	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/3/2018	3.1	78	110	0.66	7.65	120	680	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/29/2019	2.2	86	110	0.49	7.55	120	610	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/5/2019	2.5	100	80	0.55	7.26	91	600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/26/2020	2.3	89	100	0.54	7.4	90	540	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/3/2020	4.3	85	140	0.72	7.17	68	710	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/25/2021	3.8	94	130	0.74	7.68	57	660	< 0.003	0.0067	0.16	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.077	1.29	< 0.0025	< 0.002	
	8/26/2021	1.9	110	150	0.39	7.73	100	710	< 0.003	0.0076	0.1	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.011	< 0.0002	0.034	1.29	< 0.0025	< 0.002	
	11/23/2021	2.0	130	150	0.48	6.94	94	810	< 0.003	0.0085	0.11	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.025	2.35	< 0.0025	< 0.002	
	12/22/2021 R	NA	NA	150	NA	7.03	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	2/23/2022	1.8	130	150	0.38	6.94	91	760	< 0.003	0.013	0.12	^1+ < 0.001	< 0.0005	< 0.005	< 0.001	0.0006	0.011	< 0.0002	0.031	1.65	< 0.0025	< 0.002	
	6/13/2022	2.8	120	140	0.4	7.22	97	700	< 0.003	0.0088	0.17	< 0.001	< 0.0005	< 0.005	0.0022	0.0018	0.011	< 0.0002	0.058	1.44	< 0.0025	< 0.002	
	8/23/2022	2.5	110	140	0.53	6.94	160	740	< 0.003	0.0082	0.12	< 0.001	^1+ < 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.033	2.02	< 0.0025	< 0.002	
	11/16/2022	3.8	120	130	0.71	7.34	66	700	< 0.003	0.013	0.14	^+ < 0.001	< 0.0005	< 0.005	0.0015	0.0014	0.01	< 0.0002	0.052	1.61	< 0.0025	< 0.002	
	2/21/2023	2.2	120	130	0.45	7.08	81	710	< 0.003	0.016	0.18	< 0.001	< 0.0005	< 0.005	< 0.001	0.00096	< 0.01	< 0.0002	0.037	1.57	< 0.0025	< 0.002	
	4/25/2023	2.8	110	130	0.53	7.14	75	730	< 0.0030	0.015	0.18	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.010	< 0.0002	0.043	< 0.734	< 0.0025	< 0.0020	
	7/25/2023	2.2	120	120	0.46	7.12	80	740	< 0.0030	0.0077	0.14	< 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.010	< 0.00020	0.031	1.02	< 0.0025	< 0.0020	
	10/19/2023	3.0	120	120	0.55	7.12	74	770	< 0.0030	0.010	0.16	*+ ^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	< 0.00050	< 0.010	< 0.00020	0.044	1.34	< 0.0025	^1+ < 0.0020	
2/5/2024	2.4	120	130	0.45	7.12	78	730	^1+ < 0.0030	0.025	0.18	^+ < 0.0010	< 0.00050	< 0.0050	< 0.0010	0.00056	F1 < 0.10	< 0.00020	0.029	1.65	< 0.0025	< 0.0020		
5/6/2024	2.9	110	120	0.52	7.37	68	720	< 0.0030	0.032	0.17	< 0.0010	< 0.00050	< 0.0050	< 0.0010	0.00056	0.010	< 0.00020	0.037	0.817	< 0.0025	< 0.0020		
MW-12 down-gradient	11/10/2015	2.3	150	160	0.59	7.44	290	1000	< 0.003	0.0016	0.11	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.034	0.8139	< 0.0025	< 0.002	
	2/16/2016	1.8	130	140	0.52	7.38	220	850	< 0.003	0.0013	0.084	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.015	< 0.0002	0.031	< 0.407	< 0.0025	< 0.002	
	5/25/2016	1.9	130	150	0.54	7.23	250	890	< 0.003	0.0013	0.12	^ < 0.001	< 0.0005	< 0.005	< 0.001	< 0.00063	0.014	< 0.0002	0.03	0.41	< 0.0026	< 0.002	
	8/10/2016	2.4	170	140	0.49	7.20	280	1000	< 0.003	0.0017	0.12	< 0.001	< 0.0005	< 0.005	< 0.001	0.0006	0.017	< 0.0002	0.04	< 0.426	0.0077	< 0.002	
	10/26/2016	2.6	140	120	0.49	7.44	220	980	< 0.003	0.0016	0.11	< 0.001	< 0.0005	0.025	< 0.001	< 0.0005	0.013	< 0.0002	0.036	< 0.664	< 0.0025	< 0.002	
	2/1/2017	2.0	160	120	0.48	7.30	150	900	< 0.003	0.0017	0.11	* < 0.001	< 0.0005	< 0.005	< 0.001	0.00065	0.013	< 0.0002	0.023	0.949	< 0.0025	< 0.002	
	5/10/2017	2.3	200	240	0.30	7.65	260	1300	< 0.003	0.0013	0.13	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.012	< 0.0002	0.029	< 0.464	0.017	< 0.002	
	6/27/2017	2.4	180	280	0.44	7.31	260	1300	< 0.003	0.0014	0.14	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.03	0.455	0.0032	< 0.002	
	9/6/2017	2.6	190	270	0.49	7.26	260	1400	< 0.003	0.0017	0.13	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.014	< 0.0002	0.032	< 0.317	0.0043	< 0.002	
	11/15/2017	1.7	55	200	0.47	6.90	250	1200	< 0.003	0.0054	0.034	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	< 0.01	< 0.0002	0.11	0.434	< 0.0025	< 0.002	
	5/3/2018	1.8	140	170	0.47	6.60	170	960	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	10/2/2018	F1 2.2	150	160	0.49	7.30	170	1100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/29/2019	1.9	140	140	0.42	7.23	190	930	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/5/2019	2.1	140	71	0.53	7.02	110	820	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/22/2020	1.9	180	120	0.4	6.95	140	1100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/3/2020	2.2	160	190	0.52	7.27	160	1000	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	5/25/2021	1.8	140	170	0.49	7.37	180	930	< 0.003	0.0017	0.14	^1+ < 0.001	< 0.0005	< 0.005	0.001	< 0.00085	0.014	< 0.0002	0.029	0.529	< 0.0025	< 0.002	
	8/26/2021	2.1	170	200	0.47	7.49	170	1000	< 0.003	0.002	0.14	< 0.001	< 0.0005	< 0.005	< 0.001	< 0.0005	0.017	< 0.0002	0.027	1.03	< 0.0025		

Table 2. Groundwater Turbidity - Ponds 2S and 3S, Midwest Generation, LLC, Will County Generating Station, Romeoville, IL.

Well ID	Date	Turbidity (NTU)
MW-05	2/23/2021	0.63
	4/10/2021	1.28
	4/25/2021	2.41
	5/24/2021	3.78
	6/11/2021	2.4
	6/28/2021	2.89
	7/12/2021	3.93
	8/4/2021	1.35
	8/24/2021	3.5
	9/24/2021	3.59
	11/23/2021	4.45
	2/24/2022	0.37
	6/16/2022	1.76
	8/25/2022	2.99
	11/15/2022	38.9
	2/23/2023	2.18
	4/26/2023	1.6
	7/26/2023	7.1
	10/24/2023	0.80
	2/7/2024	0.82
5/8/2024	6.47	
MW-06	2/23/2021	0.31
	4/10/2021	11.17
	4/25/2021	15.04
	5/24/2021	5.18
	6/11/2021	2.96
	6/29/2021	4.06
	7/12/2021	6.43
	8/4/2021	3.5
	8/24/2021	7.0
	9/24/2021	4.2
	11/23/2021	6.38
	2/22/2022	0.47
	6/14/2022	3.87
	8/25/2022	2.6
	11/16/2022	8.12
	2/23/2023	10.08
	4/26/2023	47.6
	7/26/2023	3.7
	10/24/2023	0.80
	2/7/2024	5.24
5/8/2024	13.11	
MW-09	3/1/2021	0.86
	4/10/2021	6.91
	4/25/2021	2.08
	5/25/2021	14.12
	6/11/2021	2.39
	6/29/2021	2.97
	7/12/2021	3.94
	8/4/2021	0.0
	8/25/2021	19.9
	9/24/2021	3.67
	11/23/2021	19.07
	2/22/2022	0.59
	6/15/2022	113.77
	8/25/2022	1.93
	11/16/2022	11.73
	2/23/2023	10.34
	4/27/2023	2.9
	7/26/2023	6.5
	10/24/2023	9.5
	2/7/2024	9.3
5/8/2024	8.9	
MW-10	2/25/2021	172.10
	4/10/2021	29.99
	4/25/2021	34.77
	5/25/2021	44.14
	6/11/2021	92.03
	6/29/2021	29.35
	7/12/2021	23.45
	8/4/2021	47.68
	8/26/2021	27.5
	9/24/2021	542
	11/23/2021	312.05
	2/24/2022	72.18
	6/14/2022	55.5
	8/25/2022	8.83
	11/16/2022	32.4
	2/23/2023	53.32
	4/26/2023	85.3
	7/26/2023	1.4
	10/24/2023	5.4
	2/7/2024	75.44
5/8/2024	31.63	
MW-11	4/10/2021	269.25
	4/25/2021	60.28
	5/25/2021	9.56
	6/11/2021	77.09
	6/29/2021	7.43
	7/12/2021	39.12
	8/4/2021	9.53
	8/26/2021	11.4
	9/24/2021	9.68
	11/23/2021	1.85
	2/23/2022	162.43
	6/13/2022	27.05
	8/23/2022	10.9
	11/16/2022	60.3
	2/21/2023	51.3
	4/25/2023	56.6
	7/25/2023	1.0
	10/19/2023	3.90
	2/5/2024	39.20
	5/6/2024	42.41
MW-12	4/10/2021	31.67
	4/25/2021	15.04
	5/25/2021	28.65
	6/11/2021	6.1
	6/29/2021	13.04
	7/12/2021	12.99
	8/4/2021	11.97
	8/26/2021	10.9
	9/24/2021	11.97
	11/23/2021	3.88
	2/24/2022	82.8
	6/13/2022	4.24
	8/23/2022	7.35
	11/16/2022	2.85
	2/21/2023	1.82
	4/25/2023	2.1
	7/25/2023	6.8
	10/19/2023	3.00
	2/5/2024	2.96
	5/6/2024	8.31

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: James Thorne  
Midwest Generation EME LLC  
1800 Channahon Road  
Joliet, Illinois 60436

Generated 5/31/2024 10:43:28 AM

**JOB DESCRIPTION**

Will County CCR

**JOB NUMBER**

500-250106-1

# Eurofins Chicago

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

## Authorization



Generated  
5/31/2024 10:43:28 AM

Authorized for release by  
Diana Mockler, Project Manager I  
[Diana.Mockler@et.eurofinsus.com](mailto:Diana.Mockler@et.eurofinsus.com)  
(219)252-7570



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Client Sample Results . . . . .	7
Definitions . . . . .	16
QC Association . . . . .	17
QC Sample Results . . . . .	21
Chain of Custody . . . . .	26
Receipt Checklists . . . . .	28
Chronicle . . . . .	29



# Case Narrative

Client: Midwest Generation EME LLC  
Project: Will County CCR

Job ID: 500-250106-1

**Job ID: 500-250106-1**

**Eurofins Chicago**

## Job Narrative 500-250106-1

### Receipt

The samples were received on 5/7/2024 2:55 PM and 5/9/2024 8:05 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.7°C, 1.8°C, 1.8°C and 2.0°C.

### Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### General Chemistry

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

Eurofins Chicago

# Method Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

Method	Method Description	Protocol	Laboratory
6020B	Metals (ICP/MS)	SW846	EET CHI
7470A	Mercury (CVAA)	SW846	EET CHI
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET CHI
SM 4500 Cl- E	Chloride, Total	SM	EET CHI
SM 4500 F C	Fluoride	SM	EET CHI
SM 4500 SO4 E	Sulfate, Total	SM	EET CHI
3005A	Preparation, Total Recoverable or Dissolved Metals	SW846	EET CHI
7470A	Preparation, Mercury	SW846	EET CHI

#### Protocol References:

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

# Sample Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-250106-1	MW-11	Water	05/06/24 12:35	05/07/24 14:55
500-250106-2	MW-12	Water	05/06/24 10:49	05/07/24 14:55
500-250106-3	2S/3S Duplicate	Water	05/06/24 00:00	05/07/24 14:55
500-250106-4	MW-16	Water	05/06/24 13:59	05/07/24 14:55
500-250106-5	MW-17	Water	05/06/24 11:49	05/07/24 14:55
500-250106-6	MW-05	Water	05/08/24 09:41	05/09/24 08:05
500-250106-7	MW-06	Water	05/08/24 11:00	05/09/24 08:05
500-250106-8	MW-09	Water	05/08/24 15:57	05/09/24 08:05
500-250106-9	MW-10	Water	05/08/24 12:13	05/09/24 08:05

1

2

3

4

5

6

7

8

9

10

11

12

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-11**  
**Date Collected: 05/06/24 12:35**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-1**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.032</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:02	1
<b>Boron</b>	<b>2.9</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:18	1
<b>Barium</b>	<b>0.17</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:02	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:02	1
<b>Calcium</b>	<b>110</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:18	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:02	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:02	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:02	1
<b>Molybdenum</b>	<b>0.037</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:02	1
<b>Lead</b>	<b>0.00056</b>		0.00050		mg/L		05/16/24 09:39	05/21/24 14:02	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:02	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 14:02	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:02	1
<b>Lithium</b>	<b>0.010</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:18	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:32	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>720</b>		10		mg/L			05/08/24 06:13	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>120</b>		10		mg/L			05/13/24 15:43	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.52</b>		0.10		mg/L			05/28/24 16:23	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>68</b>		10		mg/L			05/19/24 13:34	2

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-12**  
**Date Collected: 05/06/24 10:49**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-2**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0011</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:04	1
<b>Boron</b>	<b>1.9</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:20	1
<b>Barium</b>	<b>0.13</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:04	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:04	1
<b>Calcium</b>	<b>180</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:20	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:04	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:04	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:04	1
<b>Molybdenum</b>	<b>0.020</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:04	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:04	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:04	1
<b>Selenium</b>	<b>0.0041</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:04	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:04	1
<b>Lithium</b>	<b>0.013</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:20	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:35	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>1100</b>		10		mg/L			05/08/24 06:15	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>190</b>		10		mg/L			05/13/24 15:40	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.42</b>		0.10		mg/L			05/28/24 16:38	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>160</b>		25		mg/L			05/19/24 13:34	5

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: 2S/3S Duplicate**

**Lab Sample ID: 500-250106-3**

Date Collected: 05/06/24 00:00

Matrix: Water

Date Received: 05/07/24 14:55

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0011</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:06	1
<b>Boron</b>	<b>1.9</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:22	1
<b>Barium</b>	<b>0.13</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:06	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:06	1
<b>Calcium</b>	<b>180</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:22	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:06	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:06	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:06	1
<b>Molybdenum</b>	<b>0.020</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:06	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:06	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:06	1
<b>Selenium</b>	<b>0.0040</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:06	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:06	1
<b>Lithium</b>	<b>0.014</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:22	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:37	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>1100</b>		10		mg/L			05/08/24 06:18	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>190</b>		10		mg/L			05/13/24 15:40	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.41</b>		0.10		mg/L			05/28/24 16:43	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>160</b>		25		mg/L			05/20/24 17:12	5

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-16**  
**Date Collected: 05/06/24 13:59**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-4**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0031</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:08	1
<b>Boron</b>	<b>0.82</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:24	1
<b>Barium</b>	<b>0.072</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:08	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:08	1
<b>Calcium</b>	<b>130</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:24	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:08	1
<b>Cobalt</b>	<b>0.0014</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:08	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:08	1
<b>Molybdenum</b>	<b>0.012</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:08	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:08	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:08	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 14:08	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:08	1
<b>Lithium</b>	<b>0.014</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:24	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:39	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>840</b>		10		mg/L			05/08/24 06:20	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>150</b>		10		mg/L			05/13/24 15:39	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.41</b>		0.10		mg/L			05/30/24 22:46	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>150</b>		25		mg/L			05/19/24 13:34	5

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-17**  
**Date Collected: 05/06/24 11:49**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-5**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0054</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:11	1
<b>Boron</b>	<b>3.1</b>		0.25		mg/L		05/16/24 09:39	05/22/24 14:26	5
<b>Barium</b>	<b>0.049</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:11	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:11	1
<b>Calcium</b>	<b>63</b>		1.0		mg/L		05/16/24 09:39	05/22/24 14:26	5
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:11	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:11	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:11	1
<b>Molybdenum</b>	<b>0.13</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:11	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:11	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:11	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 14:11	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:11	1
Lithium	<0.050		0.050		mg/L		05/16/24 09:39	05/22/24 14:26	5

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:41	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>820</b>		10		mg/L			05/08/24 06:23	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>120</b>		10		mg/L			05/13/24 15:43	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.79</b>		0.10		mg/L			05/30/24 22:51	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>330</b>		50		mg/L			05/19/24 13:45	10



# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-05**  
**Date Collected: 05/08/24 09:41**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-6**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0020</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:13	1
<b>Boron</b>	<b>5.3</b>		0.25		mg/L		05/16/24 09:39	05/22/24 14:28	5
<b>Barium</b>	<b>0.033</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:13	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:13	1
<b>Calcium</b>	<b>83</b>		1.0		mg/L		05/16/24 09:39	05/22/24 14:28	5
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:13	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:13	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:13	1
<b>Molybdenum</b>	<b>0.079</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:13	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:13	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:13	1
<b>Selenium</b>	<b>0.0054</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:13	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:13	1
Lithium	<0.050		0.050		mg/L		05/16/24 09:39	05/22/24 14:28	5

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:43	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>930</b>		10		mg/L			05/14/24 00:57	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>34</b>		2.0		mg/L			05/13/24 15:14	1
<b>Fluoride (SM 4500 F C)</b>	<b>0.65</b>		0.10		mg/L			05/29/24 01:36	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>450</b>		50		mg/L			05/19/24 13:32	10

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-06**  
**Date Collected: 05/08/24 11:00**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-7**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0013</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:23	1
<b>Boron</b>	<b>2.3</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:30	1
<b>Barium</b>	<b>0.081</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:23	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:23	1
<b>Calcium</b>	<b>110</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:30	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:23	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:23	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:23	1
<b>Molybdenum</b>	<b>0.021</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:23	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:23	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:23	1
<b>Selenium</b>	<b>0.0065</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:23	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:23	1
<b>Lithium</b>	<b>0.015</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:30	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:45	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>630</b>		10		mg/L			05/14/24 01:00	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>13</b>		2.0		mg/L			05/13/24 15:15	1
<b>Fluoride (SM 4500 F C)</b>	<b>0.37</b>		0.10		mg/L			05/29/24 01:52	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>180</b>		25		mg/L			05/19/24 13:35	5

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-09**

**Lab Sample ID: 500-250106-8**

Date Collected: 05/08/24 15:57

Matrix: Water

Date Received: 05/09/24 08:05

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.0075</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:25	1
<b>Boron</b>	<b>1.8</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:39	1
<b>Barium</b>	<b>0.031</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:25	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:25	1
<b>Calcium</b>	<b>41</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:39	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:25	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:25	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:25	1
<b>Molybdenum</b>	<b>0.063</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:25	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:25	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:25	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 14:25	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:25	1
Lithium	<0.010	^+	0.010		mg/L		05/16/24 09:39	05/21/24 14:25	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Mercury</b>	<b>0.00021</b>		0.00020		mg/L		05/24/24 10:55	05/28/24 08:27	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>740</b>		10		mg/L			05/14/24 01:03	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>180</b>		10		mg/L			05/13/24 15:42	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.52</b>		0.10		mg/L			05/29/24 01:57	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>230</b>		25		mg/L			05/19/24 13:35	5

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-10**  
**Date Collected: 05/08/24 12:13**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-9**  
**Matrix: Water**

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Arsenic</b>	<b>0.012</b>		0.0010		mg/L		05/16/24 09:39	05/21/24 14:27	1
<b>Boron</b>	<b>2.7</b>		0.050		mg/L		05/16/24 09:39	05/22/24 14:41	1
<b>Barium</b>	<b>0.079</b>		0.0025		mg/L		05/16/24 09:39	05/21/24 14:27	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:27	1
<b>Calcium</b>	<b>110</b>		0.20		mg/L		05/16/24 09:39	05/22/24 14:41	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:27	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 14:27	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 14:27	1
<b>Molybdenum</b>	<b>0.11</b>		0.0050		mg/L		05/16/24 09:39	05/21/24 14:27	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 14:27	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 14:27	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 14:27	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 14:27	1
<b>Lithium</b>	<b>0.016</b>		0.010		mg/L		05/16/24 09:39	05/22/24 14:41	1

**Method: SW846 7470A - Mercury (CVAA)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 08:29	1

**General Chemistry**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Total Dissolved Solids (SM 2540C)</b>	<b>860</b>		10		mg/L			05/14/24 01:05	1
<b>Chloride (SM 4500 Cl- E)</b>	<b>130</b>		10		mg/L			05/13/24 15:41	5
<b>Fluoride (SM 4500 F C)</b>	<b>0.81</b>		0.10		mg/L			05/29/24 02:02	1
<b>Sulfate (SM 4500 SO4 E)</b>	<b>290</b>		50		mg/L			05/19/24 13:46	10

# Definitions/Glossary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

## Qualifiers

### Metals

Qualifier	Qualifier Description
^+	Continuing Calibration Verification (CCV) is outside acceptance limits, high biased.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# QC Association Summary

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

## Metals

### Prep Batch: 768239

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total Recoverable	Water	3005A	
500-250106-2	MW-12	Total Recoverable	Water	3005A	
500-250106-3	2S/3S Duplicate	Total Recoverable	Water	3005A	
500-250106-4	MW-16	Total Recoverable	Water	3005A	
500-250106-5	MW-17	Total Recoverable	Water	3005A	
500-250106-6	MW-05	Total Recoverable	Water	3005A	
500-250106-7	MW-06	Total Recoverable	Water	3005A	
500-250106-8	MW-09	Total Recoverable	Water	3005A	
500-250106-9	MW-10	Total Recoverable	Water	3005A	
MB 500-768239/1-A	Method Blank	Total Recoverable	Water	3005A	
LCS 500-768239/2-A	Lab Control Sample	Total Recoverable	Water	3005A	

### Analysis Batch: 769045

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total Recoverable	Water	6020B	768239
500-250106-2	MW-12	Total Recoverable	Water	6020B	768239
500-250106-3	2S/3S Duplicate	Total Recoverable	Water	6020B	768239
500-250106-4	MW-16	Total Recoverable	Water	6020B	768239
500-250106-5	MW-17	Total Recoverable	Water	6020B	768239
500-250106-6	MW-05	Total Recoverable	Water	6020B	768239
500-250106-7	MW-06	Total Recoverable	Water	6020B	768239
500-250106-8	MW-09	Total Recoverable	Water	6020B	768239
500-250106-9	MW-10	Total Recoverable	Water	6020B	768239
MB 500-768239/1-A	Method Blank	Total Recoverable	Water	6020B	768239
LCS 500-768239/2-A	Lab Control Sample	Total Recoverable	Water	6020B	768239

### Analysis Batch: 769274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total Recoverable	Water	6020B	768239
500-250106-2	MW-12	Total Recoverable	Water	6020B	768239
500-250106-3	2S/3S Duplicate	Total Recoverable	Water	6020B	768239
500-250106-4	MW-16	Total Recoverable	Water	6020B	768239
500-250106-5	MW-17	Total Recoverable	Water	6020B	768239
500-250106-6	MW-05	Total Recoverable	Water	6020B	768239
500-250106-7	MW-06	Total Recoverable	Water	6020B	768239
500-250106-8	MW-09	Total Recoverable	Water	6020B	768239
500-250106-9	MW-10	Total Recoverable	Water	6020B	768239
MB 500-768239/1-A	Method Blank	Total Recoverable	Water	6020B	768239
LCS 500-768239/2-A	Lab Control Sample	Total Recoverable	Water	6020B	768239

### Analysis Batch: 769360

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 500-768239/2-A	Lab Control Sample	Total Recoverable	Water	6020B	768239

### Prep Batch: 769539

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	7470A	
500-250106-2	MW-12	Total/NA	Water	7470A	
500-250106-3	2S/3S Duplicate	Total/NA	Water	7470A	
500-250106-4	MW-16	Total/NA	Water	7470A	
500-250106-5	MW-17	Total/NA	Water	7470A	

Eurofins Chicago

# QC Association Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

## Metals (Continued)

### Prep Batch: 769539 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6	MW-05	Total/NA	Water	7470A	
500-250106-7	MW-06	Total/NA	Water	7470A	
500-250106-8	MW-09	Total/NA	Water	7470A	
500-250106-9	MW-10	Total/NA	Water	7470A	
MB 500-769539/12-A	Method Blank	Total/NA	Water	7470A	
LCS 500-769539/13-A	Lab Control Sample	Total/NA	Water	7470A	
500-250106-7 MS	MW-06	Total/NA	Water	7470A	
500-250106-7 MSD	MW-06	Total/NA	Water	7470A	
500-250106-7 DU	MW-06	Total/NA	Water	7470A	

### Analysis Batch: 769797

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	7470A	769539
500-250106-2	MW-12	Total/NA	Water	7470A	769539
500-250106-3	2S/3S Duplicate	Total/NA	Water	7470A	769539
500-250106-4	MW-16	Total/NA	Water	7470A	769539
500-250106-5	MW-17	Total/NA	Water	7470A	769539
500-250106-6	MW-05	Total/NA	Water	7470A	769539
500-250106-7	MW-06	Total/NA	Water	7470A	769539
500-250106-8	MW-09	Total/NA	Water	7470A	769539
500-250106-9	MW-10	Total/NA	Water	7470A	769539
MB 500-769539/12-A	Method Blank	Total/NA	Water	7470A	769539
LCS 500-769539/13-A	Lab Control Sample	Total/NA	Water	7470A	769539
500-250106-7 MS	MW-06	Total/NA	Water	7470A	769539
500-250106-7 MSD	MW-06	Total/NA	Water	7470A	769539
500-250106-7 DU	MW-06	Total/NA	Water	7470A	769539

## General Chemistry

### Analysis Batch: 766884

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	SM 2540C	
500-250106-2	MW-12	Total/NA	Water	SM 2540C	
500-250106-3	2S/3S Duplicate	Total/NA	Water	SM 2540C	
500-250106-4	MW-16	Total/NA	Water	SM 2540C	
500-250106-5	MW-17	Total/NA	Water	SM 2540C	
MB 500-766884/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-766884/2	Lab Control Sample	Total/NA	Water	SM 2540C	

### Analysis Batch: 767735

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6	MW-05	Total/NA	Water	SM 2540C	
500-250106-7	MW-06	Total/NA	Water	SM 2540C	
500-250106-8	MW-09	Total/NA	Water	SM 2540C	
500-250106-9	MW-10	Total/NA	Water	SM 2540C	
MB 500-767735/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 500-767735/2	Lab Control Sample	Total/NA	Water	SM 2540C	

### Analysis Batch: 767769

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	SM 4500 Cl- E	

Eurofins Chicago

# QC Association Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

## General Chemistry (Continued)

### Analysis Batch: 767769 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-2	MW-12	Total/NA	Water	SM 4500 Cl- E	
500-250106-3	2S/3S Duplicate	Total/NA	Water	SM 4500 Cl- E	
500-250106-4	MW-16	Total/NA	Water	SM 4500 Cl- E	
500-250106-5	MW-17	Total/NA	Water	SM 4500 Cl- E	
500-250106-6	MW-05	Total/NA	Water	SM 4500 Cl- E	
500-250106-7	MW-06	Total/NA	Water	SM 4500 Cl- E	
500-250106-8	MW-09	Total/NA	Water	SM 4500 Cl- E	
500-250106-9	MW-10	Total/NA	Water	SM 4500 Cl- E	
MB 500-767769/106	Method Blank	Total/NA	Water	SM 4500 Cl- E	
LCS 500-767769/107	Lab Control Sample	Total/NA	Water	SM 4500 Cl- E	

### Analysis Batch: 768618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	SM 4500 SO4 E	
500-250106-2	MW-12	Total/NA	Water	SM 4500 SO4 E	
500-250106-4	MW-16	Total/NA	Water	SM 4500 SO4 E	
500-250106-5	MW-17	Total/NA	Water	SM 4500 SO4 E	
500-250106-6	MW-05	Total/NA	Water	SM 4500 SO4 E	
500-250106-7	MW-06	Total/NA	Water	SM 4500 SO4 E	
500-250106-8	MW-09	Total/NA	Water	SM 4500 SO4 E	
500-250106-9	MW-10	Total/NA	Water	SM 4500 SO4 E	
MB 500-768618/16	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-768618/17	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	

### Analysis Batch: 768879

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-3	2S/3S Duplicate	Total/NA	Water	SM 4500 SO4 E	
MB 500-768879/16	Method Blank	Total/NA	Water	SM 4500 SO4 E	
LCS 500-768879/17	Lab Control Sample	Total/NA	Water	SM 4500 SO4 E	

### Analysis Batch: 769992

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	SM 4500 F C	
500-250106-2	MW-12	Total/NA	Water	SM 4500 F C	
500-250106-3	2S/3S Duplicate	Total/NA	Water	SM 4500 F C	
MB 500-769992/3	Method Blank	Total/NA	Water	SM 4500 F C	
MB 500-769992/31	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-769992/32	Lab Control Sample	Total/NA	Water	SM 4500 F C	
LCS 500-769992/4	Lab Control Sample	Total/NA	Water	SM 4500 F C	
500-250106-3 MS	2S/3S Duplicate	Total/NA	Water	SM 4500 F C	
500-250106-3 MSD	2S/3S Duplicate	Total/NA	Water	SM 4500 F C	

### Analysis Batch: 769993

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6	MW-05	Total/NA	Water	SM 4500 F C	
500-250106-7	MW-06	Total/NA	Water	SM 4500 F C	
500-250106-8	MW-09	Total/NA	Water	SM 4500 F C	
500-250106-9	MW-10	Total/NA	Water	SM 4500 F C	
MB 500-769993/53	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-769993/54	Lab Control Sample	Total/NA	Water	SM 4500 F C	
500-250106-6 MS	MW-05	Total/NA	Water	SM 4500 F C	

Eurofins Chicago



# QC Association Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

## General Chemistry (Continued)

### Analysis Batch: 769993 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6 MSD	MW-05	Total/NA	Water	SM 4500 F C	

### Analysis Batch: 770352

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-4	MW-16	Total/NA	Water	SM 4500 F C	
500-250106-5	MW-17	Total/NA	Water	SM 4500 F C	
MB 500-770352/31	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 500-770352/32	Lab Control Sample	Total/NA	Water	SM 4500 F C	

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

## Method: 6020B - Metals (ICP/MS)

**Lab Sample ID: MB 500-768239/1-A**  
**Matrix: Water**  
**Analysis Batch: 769045**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 768239**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Arsenic	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 13:18	1
Barium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 13:18	1
Beryllium	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 13:18	1
Cadmium	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 13:18	1
Cobalt	<0.0010		0.0010		mg/L		05/16/24 09:39	05/21/24 13:18	1
Chromium	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 13:18	1
Molybdenum	<0.0050		0.0050		mg/L		05/16/24 09:39	05/21/24 13:18	1
Lead	<0.00050		0.00050		mg/L		05/16/24 09:39	05/21/24 13:18	1
Antimony	<0.0030		0.0030		mg/L		05/16/24 09:39	05/21/24 13:18	1
Selenium	<0.0025		0.0025		mg/L		05/16/24 09:39	05/21/24 13:18	1
Thallium	<0.0020		0.0020		mg/L		05/16/24 09:39	05/21/24 13:18	1
Lithium	<0.010		0.010		mg/L		05/16/24 09:39	05/21/24 13:18	1

**Lab Sample ID: MB 500-768239/1-A**  
**Matrix: Water**  
**Analysis Batch: 769274**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 768239**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Boron	<0.050		0.050		mg/L		05/16/24 09:39	05/22/24 13:34	1
Calcium	<0.20		0.20		mg/L		05/16/24 09:39	05/22/24 13:34	1

**Lab Sample ID: LCS 500-768239/2-A**  
**Matrix: Water**  
**Analysis Batch: 769045**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 768239**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Barium	0.500	0.477		mg/L		95	80 - 120
Beryllium	0.0500	0.0523		mg/L		105	80 - 120
Cadmium	0.0500	0.0482		mg/L		96	80 - 120
Cobalt	0.500	0.534		mg/L		107	80 - 120
Chromium	0.200	0.211		mg/L		106	80 - 120
Molybdenum	1.00	0.935		mg/L		94	80 - 120
Lead	0.100	0.0988		mg/L		99	80 - 120
Antimony	0.500	0.472		mg/L		94	80 - 120
Selenium	0.100	0.0921		mg/L		92	80 - 120
Thallium	0.100	0.104		mg/L		104	80 - 120
Lithium	0.100	0.108		mg/L		108	80 - 120

**Lab Sample ID: LCS 500-768239/2-A**  
**Matrix: Water**  
**Analysis Batch: 769274**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 768239**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits

# QC Sample Results

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

## Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 500-768239/2-A  
Matrix: Water  
Analysis Batch: 769360

Client Sample ID: Lab Control Sample  
Prep Type: Total Recoverable  
Prep Batch: 768239

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	10.0	8.11		mg/L		81	80 - 120

## Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 500-769539/12-A  
Matrix: Water  
Analysis Batch: 769797

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 769539

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.00020		0.00020		mg/L		05/24/24 10:55	05/28/24 07:28	1

Lab Sample ID: LCS 500-769539/13-A  
Matrix: Water  
Analysis Batch: 769797

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 769539

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	0.00201	0.00197		mg/L		98	80 - 120

Lab Sample ID: 500-250106-7 MS  
Matrix: Water  
Analysis Batch: 769797

Client Sample ID: MW-06  
Prep Type: Total/NA  
Prep Batch: 769539

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	<0.00020		0.00100	0.00102		mg/L		102	75 - 125

Lab Sample ID: 500-250106-7 MSD  
Matrix: Water  
Analysis Batch: 769797

Client Sample ID: MW-06  
Prep Type: Total/NA  
Prep Batch: 769539

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Mercury	<0.00020		0.00100	0.000934		mg/L		93	75 - 125	9	20

Lab Sample ID: 500-250106-7 DU  
Matrix: Water  
Analysis Batch: 769797

Client Sample ID: MW-06  
Prep Type: Total/NA  
Prep Batch: 769539

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Mercury	<0.00020		<0.00020		mg/L		NC	20

## Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 500-766884/1  
Matrix: Water  
Analysis Batch: 766884

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			05/08/24 05:24	1

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

## Method: SM 2540C - Solids, Total Dissolved (TDS) (Continued)

Lab Sample ID: LCS 500-766884/2  
 Matrix: Water  
 Analysis Batch: 766884

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	258		mg/L		103	80 - 120

Lab Sample ID: MB 500-767735/1  
 Matrix: Water  
 Analysis Batch: 767735

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10		mg/L			05/14/24 00:14	1

Lab Sample ID: LCS 500-767735/2  
 Matrix: Water  
 Analysis Batch: 767735

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	250	236		mg/L		94	80 - 120

## Method: SM 4500 Cl- E - Chloride, Total

Lab Sample ID: MB 500-767769/106  
 Matrix: Water  
 Analysis Batch: 767769

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<2.0		2.0		mg/L			05/13/24 15:13	1

Lab Sample ID: LCS 500-767769/107  
 Matrix: Water  
 Analysis Batch: 767769

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	20.0	21.9		mg/L		109	85 - 115

## Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-769992/3  
 Matrix: Water  
 Analysis Batch: 769992

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			05/28/24 14:07	1

Lab Sample ID: MB 500-769992/31  
 Matrix: Water  
 Analysis Batch: 769992

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			05/28/24 16:27	1

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

## Method: SM 4500 F C - Fluoride (Continued)

**Lab Sample ID: LCS 500-769992/32**  
**Matrix: Water**  
**Analysis Batch: 769992**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	9.73		mg/L		97	90 - 119

**Lab Sample ID: LCS 500-769992/4**  
**Matrix: Water**  
**Analysis Batch: 769992**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	9.73		mg/L		97	90 - 119

**Lab Sample ID: 500-250106-3 MS**  
**Matrix: Water**  
**Analysis Batch: 769992**

**Client Sample ID: 2S/3S Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.41		5.00	5.46		mg/L		101	75 - 125

**Lab Sample ID: 500-250106-3 MSD**  
**Matrix: Water**  
**Analysis Batch: 769992**

**Client Sample ID: 2S/3S Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Fluoride	0.41		5.00	5.46		mg/L		101	75 - 125	0	20

**Lab Sample ID: MB 500-769993/53**  
**Matrix: Water**  
**Analysis Batch: 769993**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			05/29/24 01:25	1

**Lab Sample ID: LCS 500-769993/54**  
**Matrix: Water**  
**Analysis Batch: 769993**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	9.95		mg/L		100	90 - 119

**Lab Sample ID: 500-250106-6 MS**  
**Matrix: Water**  
**Analysis Batch: 769993**

**Client Sample ID: MW-05**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.65		5.00	5.76		mg/L		102	75 - 125

**Lab Sample ID: 500-250106-6 MSD**  
**Matrix: Water**  
**Analysis Batch: 769993**

**Client Sample ID: MW-05**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Fluoride	0.65		5.00	5.84		mg/L		104	75 - 125	1	20

Eurofins Chicago

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

## Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 500-770352/31  
 Matrix: Water  
 Analysis Batch: 770352

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.10		0.10		mg/L			05/30/24 20:53	1

Lab Sample ID: LCS 500-770352/32  
 Matrix: Water  
 Analysis Batch: 770352

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	10.0	10.5		mg/L		105	90 - 119

## Method: SM 4500 SO4 E - Sulfate, Total

Lab Sample ID: MB 500-768618/16  
 Matrix: Water  
 Analysis Batch: 768618

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			05/19/24 12:58	1

Lab Sample ID: LCS 500-768618/17  
 Matrix: Water  
 Analysis Batch: 768618

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	20.0	21.6		mg/L		108	88 - 123

Lab Sample ID: MB 500-768879/16  
 Matrix: Water  
 Analysis Batch: 768879

Client Sample ID: Method Blank  
 Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	<5.0		5.0		mg/L			05/20/24 17:02	1

Lab Sample ID: LCS 500-768879/17  
 Matrix: Water  
 Analysis Batch: 768879

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Sulfate	20.0	20.9		mg/L		105	88 - 123

**Eurofins Chicago**

2417 Bond Street  
 University Park, IL 60484  
 Phone 708-534-5200 Fax 708-534-5211

**Chain of Custody Record**

eurofins | Environment Testing

<b>Client Information</b>		Sampler: <u>IAN JOHN HOWLSON</u>		Lab PM: Mockler, Diana J		Carrier Tracking No(s)		COC No. 500-123089-48726 1	
Client Contact: Mr Tim Stohner		Phone: <u>630 290 6850</u>		E-Mail: Diana Mockler@et.eurofinsus.com				Page 1 of 1	
Company: KPRG and Associates, Inc		PWSID:		Analysis R		600-250106 COC		Job #: <u>500-250106</u>	
Address: 414 Plaza Drive Suite 106		Due Date Requested		TAT Requested (days)		Compliance Project: <input type="checkbox"/> Yes <input type="checkbox"/> No		Preservation Codes:	
City: Westmont		PO #: 4502116506		WO #:		Project #: 50011609		A - HCL M Hexane B - NaOH N - None C - Zn Acetate O AsNaO2 D Nitric Acid P Na2O4S E - NaHSO4 Q Na2SO3 F MeOH R Na2S2O3 G Amchlor S H2SO4 H - Ascorbic Acid T TSP Dodecahydrate I Ice U Acetone J - DI Water V MCAA K - EDTA W - pH 4-5 L EDA Y - Trizma Z other (specify)	
Project Name: Will County 2S/3S Event Desc Quarterly GW Monitoring		SSOW#:		Project #: 50011609		SSOW#:		Other:	
Site: Illinois									

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Al)	Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)		Total Number of Containers	Special Instructions/Note:
					903.0, 904.0	6010C, 6020A, 7470A	2540C, 4500_F_C, SM4500_CL_E, SM4500_SO4_E			
1 MW-11	5-6-24	12:35	G	Water	N	N	X	X	5	
2 MW-12	5-6-24	10:49	G	Water	N	N	X	X	5	
3 2S/3S Duplicate	5-6-24		G	Water	N	N	X	X	5	
4 MW-16	5-6-24	13:59	G	Water	N	N	X	X	5	
5 MW-17	5-6-24	11:49	G	Water	N	N	X	X	5	


<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological				<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested I, II, III, Other (specify)				Special Instructions/QC Requirements			
Empty Kit Relinquished by:		Date		Time		Method of Shipment:	
Relinquished by:	Date/Time: <u>5-7-24</u>	Company: <u>KPRG</u>	Received by:	Date/Time: <u>5/7/24</u>	Company: <u>KPRG</u>		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No	Cooler Temperature(s) °C and Other Remarks: <u>21+17, 1.7+1.8</u>					

# Eurofins Chicago

2417 Bond Street  
 University Park, IL 60484  
 Phone 708-534-5200 Fax: 708-534-5211

## Chain of Custody Record

eurofins | Environment Testing

<b>Client Information</b>		Sampler: <i>JAN JOHN HONIGSON</i>		Lab PM: Mockler, Diana J		Carrier Tracking Method:		COC No: 500-123089-48726 1	
Client Contact: Mr Tim Stohner		Phone: <i>630 290 6850</i>		E-Mail: Diana Mockler@et.eurofinsus.com		 500-250106 COC		Page: Page 1 of 1	
Company: KPRG and Associates, Inc.		PWSID:		Analysis Rec				Job #: <i>500-250106</i>	
Address: 414 Plaza Drive Suite 106		Due Date Requested:		TAT Requested (days):				Preservation Codes:	
City: Westmont		Compliance Project. <input type="checkbox"/> Yes <input type="checkbox"/> No		PO #: 4502116506		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	
State, Zip: IL, 60559		Project #: 50011609		WO #:		Other:		Special Instructions/Note:	
Phone:		SSOW#:		Project Name: Will County 2S/3S Event Desc: Quarterly GW Monitoring		Total Number of Containers: <i>5</i>			
Email: tims@kprginc.com		Matrix		Field Filtered Sample (Yes or No)					
Site: Illinois		Sample Type (C=Comp, G=grab)		Paradigm MS/MS (Yes or No)					
<b>Sample Identification</b>		Sample Date		Sample Time		Matrix (W=water, S=solid, O=wastelol, BT=Tissue, A=Air)			
<i>CCR</i>									
MW-05		5-8-24		09:41		G Water		Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Paradigm MS/MS (Yes or No) <input type="checkbox"/> Yes <input type="checkbox"/> No 903.0, 904.0 6010C, 6020A, 7470A 2540C, 4500_F_C, SNA500_CL_E, SNA500_SO4_E	
MW-06		5-8-24		11:00		G Water			
MW-09		5-8-24		15:57		G Water			
MW-10		5-8-24		12:13		G Water			
MW-11									
MW-12									
2S/3S Duplicate									
MW-16									
MW-17									
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological					<b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b> <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months				
Deliverable Requested I, II, III, IV, Other (specify)					Special Instructions/QC Requirements				
Empty Kit Relinquished by:		Date		Time		Method of Shipment:			
Relinquished by: <i>[Signature]</i>		Date/Time: 5-9-24 08:05		Company: KPRG		Received by: <i>[Signature]</i>		Date/Time: 05/09/24 08:05	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <i>1.7+1.8, 1.9+2.0</i>					





# Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-250106-1

**Login Number: 250106**

**List Source: Eurofins Chicago**

**List Number: 1**

**Creator: Hernandez, Stephanie**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.7,1.8,1.8,2.0
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# Lab Chronicle

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-11**

**Date Collected: 05/06/24 12:35**

**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-1**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:02
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:18
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:32
Total/NA	Analysis	SM 2540C		1	766884	CLB	EET CHI	05/08/24 06:13
Total/NA	Analysis	SM 4500 CI- E		5	767769	TR	EET CHI	05/13/24 15:43
Total/NA	Analysis	SM 4500 F C		1	769992	PFK	EET CHI	05/28/24 16:23
Total/NA	Analysis	SM 4500 SO4 E		2	768618	TR	EET CHI	05/19/24 13:34

**Client Sample ID: MW-12**

**Date Collected: 05/06/24 10:49**

**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-2**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:04
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:20
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:35
Total/NA	Analysis	SM 2540C		1	766884	CLB	EET CHI	05/08/24 06:15
Total/NA	Analysis	SM 4500 CI- E		5	767769	TR	EET CHI	05/13/24 15:40
Total/NA	Analysis	SM 4500 F C		1	769992	PFK	EET CHI	05/28/24 16:38
Total/NA	Analysis	SM 4500 SO4 E		5	768618	TR	EET CHI	05/19/24 13:34

**Client Sample ID: 2S/3S Duplicate**

**Date Collected: 05/06/24 00:00**

**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-3**

**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:06
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:22
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:37
Total/NA	Analysis	SM 2540C		1	766884	CLB	EET CHI	05/08/24 06:18
Total/NA	Analysis	SM 4500 CI- E		5	767769	TR	EET CHI	05/13/24 15:40
Total/NA	Analysis	SM 4500 F C		1	769992	PFK	EET CHI	05/28/24 16:43
Total/NA	Analysis	SM 4500 SO4 E		5	768879	TR	EET CHI	05/20/24 17:12

# Lab Chronicle

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-16**  
**Date Collected: 05/06/24 13:59**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-4**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:08
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:24
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:39
Total/NA	Analysis	SM 2540C		1	766884	CLB	EET CHI	05/08/24 06:20
Total/NA	Analysis	SM 4500 CI- E		5	767769	TR	EET CHI	05/13/24 15:39
Total/NA	Analysis	SM 4500 F C		1	770352	SO	EET CHI	05/30/24 22:46
Total/NA	Analysis	SM 4500 SO4 E		5	768618	TR	EET CHI	05/19/24 13:34

**Client Sample ID: MW-17**  
**Date Collected: 05/06/24 11:49**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-5**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:11
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		5	769274	RN	EET CHI	05/22/24 14:26
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:41
Total/NA	Analysis	SM 2540C		1	766884	CLB	EET CHI	05/08/24 06:23
Total/NA	Analysis	SM 4500 CI- E		5	767769	TR	EET CHI	05/13/24 15:43
Total/NA	Analysis	SM 4500 F C		1	770352	SO	EET CHI	05/30/24 22:51
Total/NA	Analysis	SM 4500 SO4 E		10	768618	TR	EET CHI	05/19/24 13:45

**Client Sample ID: MW-05**  
**Date Collected: 05/08/24 09:41**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-6**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:13
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		5	769274	RN	EET CHI	05/22/24 14:28
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:43
Total/NA	Analysis	SM 2540C		1	767735	CLB	EET CHI	05/14/24 00:57
Total/NA	Analysis	SM 4500 CI- E		1	767769	TR	EET CHI	05/13/24 15:14
Total/NA	Analysis	SM 4500 F C		1	769993	PFK	EET CHI	05/29/24 01:36
Total/NA	Analysis	SM 4500 SO4 E		10	768618	TR	EET CHI	05/19/24 13:32

# Lab Chronicle

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

**Client Sample ID: MW-06**  
**Date Collected: 05/08/24 11:00**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:23
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:30
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 07:45
Total/NA	Analysis	SM 2540C		1	767735	CLB	EET CHI	05/14/24 01:00
Total/NA	Analysis	SM 4500 Cl- E		1	767769	TR	EET CHI	05/13/24 15:15
Total/NA	Analysis	SM 4500 F C		1	769993	PFK	EET CHI	05/29/24 01:52
Total/NA	Analysis	SM 4500 SO4 E		5	768618	TR	EET CHI	05/19/24 13:35

**Client Sample ID: MW-09**  
**Date Collected: 05/08/24 15:57**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-8**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:25
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:39
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 08:27
Total/NA	Analysis	SM 2540C		1	767735	CLB	EET CHI	05/14/24 01:03
Total/NA	Analysis	SM 4500 Cl- E		5	767769	TR	EET CHI	05/13/24 15:42
Total/NA	Analysis	SM 4500 F C		1	769993	PFK	EET CHI	05/29/24 01:57
Total/NA	Analysis	SM 4500 SO4 E		5	768618	TR	EET CHI	05/19/24 13:35

**Client Sample ID: MW-10**  
**Date Collected: 05/08/24 12:13**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-9**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769045	RN	EET CHI	05/21/24 14:27
Total Recoverable	Prep	3005A			768239	BDE	EET CHI	05/16/24 09:39 - 05/16/24 15:39 <sup>1</sup>
Total Recoverable	Analysis	6020B		1	769274	RN	EET CHI	05/22/24 14:41
Total/NA	Prep	7470A			769539	MJG	EET CHI	05/24/24 10:55 - 05/24/24 12:55 <sup>1</sup>
Total/NA	Analysis	7470A		1	769797	MJG	EET CHI	05/28/24 08:29
Total/NA	Analysis	SM 2540C		1	767735	CLB	EET CHI	05/14/24 01:05
Total/NA	Analysis	SM 4500 Cl- E		5	767769	TR	EET CHI	05/13/24 15:41
Total/NA	Analysis	SM 4500 F C		1	769993	PFK	EET CHI	05/29/24 02:02
Total/NA	Analysis	SM 4500 SO4 E		10	768618	TR	EET CHI	05/19/24 13:46

<sup>1</sup> This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

# Lab Chronicle

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR

Job ID: 500-250106-1

**Laboratory References:**

EET CHI = Eurofins Chicago, 2417 Bond Street, University Park, IL 60484, TEL (708)534-5200

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12



# ANALYTICAL REPORT

## PREPARED FOR

Attn: James Thorne  
Midwest Generation EME LLC  
1800 Channahon Road  
Joliet, Illinois 60436

Generated 6/7/2024 8:05:56 AM

## JOB DESCRIPTION

Will County CCR (RAD)

## JOB NUMBER

500-250106-2

# Eurofins Chicago

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Chicago Project Manager.

## Authorization



Generated  
6/7/2024 8:05:56 AM

Authorized for release by  
Diana Mockler, Project Manager I  
[Diana.Mockler@et.eurofinsus.com](mailto:Diana.Mockler@et.eurofinsus.com)  
(219)252-7570



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Case Narrative . . . . .	4
Method Summary . . . . .	5
Sample Summary . . . . .	6
Client Sample Results . . . . .	7
Definitions . . . . .	16
QC Association . . . . .	17
QC Sample Results . . . . .	18
Chain of Custody . . . . .	22
Receipt Checklists . . . . .	26
Chronicle . . . . .	29
Tracer Carrier Summary . . . . .	32



# Case Narrative

Client: Midwest Generation EME LLC  
Project: Will County CCR (RAD)

Job ID: 500-250106-2

**Job ID: 500-250106-2**

**Eurofins Chicago**

## Job Narrative 500-250106-2

### Receipt

The samples were received on 5/7/2024 2:55 PM and 5/9/2024 8:05 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 4 coolers at receipt time were 1.7°C, 1.8°C, 1.8°C and 2.0°C.

### Gas Flow Proportional Counter

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.



# Method Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

Method	Method Description	Protocol	Laboratory
903.0	Radium-226 (GFPC)	EPA	EET SL
904.0	Radium-228 (GFPC)	EPA	EET SL
Ra226_Ra228	Combined Radium-226 and Radium-228	TAL-STL	EET SL
PrecSep_0	Preparation, Precipitate Separation	None	EET SL
PrecSep-21	Preparation, Precipitate Separation (21-Day In-Growth)	None	EET SL

#### Protocol References:

EPA = US Environmental Protection Agency

None = None

TAL-STL = TestAmerica Laboratories, St. Louis, Facility Standard Operating Procedure.

#### Laboratory References:

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

# Sample Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
500-250106-1	MW-11	Water	05/06/24 12:35	05/07/24 14:55
500-250106-2	MW-12	Water	05/06/24 10:49	05/07/24 14:55
500-250106-3	2S/3S Duplicate	Water	05/06/24 00:00	05/07/24 14:55
500-250106-4	MW-16	Water	05/06/24 13:59	05/07/24 14:55
500-250106-5	MW-17	Water	05/06/24 11:49	05/07/24 14:55
500-250106-6	MW-05	Water	05/08/24 09:41	05/09/24 08:05
500-250106-7	MW-06	Water	05/08/24 11:00	05/09/24 08:05
500-250106-8	MW-09	Water	05/08/24 15:57	05/09/24 08:05
500-250106-9	MW-10	Water	05/08/24 12:13	05/09/24 08:05

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-11**

**Lab Sample ID: 500-250106-1**

Date Collected: 05/06/24 12:35

Matrix: Water

Date Received: 05/07/24 14:55

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.337		0.122	0.125	1.00	0.124	pCi/L	05/09/24 09:03	06/04/24 10:05	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.1		30 - 110					05/09/24 09:03	06/04/24 10:05	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.480	U	0.383	0.386	1.00	0.592	pCi/L	05/09/24 09:07	05/24/24 11:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	84.1		30 - 110					05/09/24 09:07	05/24/24 11:43	1
Y Carrier	79.3		30 - 110					05/09/24 09:07	05/24/24 11:43	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.817		0.402	0.406	5.00	0.592	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-12**  
**Date Collected: 05/06/24 10:49**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-2**  
**Matrix: Water**

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.117</b>		0.0695	0.0703	1.00	0.0861	pCi/L	05/09/24 09:03	06/04/24 12:15	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.3		30 - 110					05/09/24 09:03	06/04/24 12:15	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>0.522</b>		0.325	0.328	1.00	0.467	pCi/L	05/09/24 09:07	05/24/24 11:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	93.3		30 - 110					05/09/24 09:07	05/24/24 11:43	1
Y Carrier	83.4		30 - 110					05/09/24 09:07	05/24/24 11:43	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Combined Radium 226 + 228</b>	<b>0.638</b>		0.332	0.335	5.00	0.467	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: 2S/3S Duplicate**

**Lab Sample ID: 500-250106-3**

Date Collected: 05/06/24 00:00

Matrix: Water

Date Received: 05/07/24 14:55

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.103	U	0.0740	0.0746	1.00	0.106	pCi/L	05/09/24 09:03	06/04/24 12:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					05/09/24 09:03	06/04/24 12:07	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.333	U	0.307	0.309	1.00	0.486	pCi/L	05/09/24 09:07	05/24/24 11:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					05/09/24 09:07	05/24/24 11:43	1
Y Carrier	82.2		30 - 110					05/09/24 09:07	05/24/24 11:43	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.436	U	0.316	0.318	5.00	0.486	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-16**

**Lab Sample ID: 500-250106-4**

Date Collected: 05/06/24 13:59

Matrix: Water

Date Received: 05/07/24 14:55

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.504		0.131	0.139	1.00	0.114	pCi/L	05/09/24 09:03	06/04/24 12:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.5		30 - 110					05/09/24 09:03	06/04/24 12:07	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.224	U	0.333	0.334	1.00	0.563	pCi/L	05/09/24 09:07	05/24/24 11:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	92.5		30 - 110					05/09/24 09:07	05/24/24 11:43	1
Y Carrier	82.6		30 - 110					05/09/24 09:07	05/24/24 11:43	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.728		0.358	0.362	5.00	0.563	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-17**

**Lab Sample ID: 500-250106-5**

Date Collected: 05/06/24 11:49

Matrix: Water

Date Received: 05/07/24 14:55

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.444		0.122	0.128	1.00	0.103	pCi/L	05/09/24 09:03	06/04/24 12:07	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					05/09/24 09:03	06/04/24 12:07	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.191	U	0.324	0.324	1.00	0.655	pCi/L	05/09/24 09:07	05/24/24 11:43	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	94.3		30 - 110					05/09/24 09:07	05/24/24 11:43	1
Y Carrier	72.5		30 - 110					05/09/24 09:07	05/24/24 11:43	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.252	U	0.346	0.348	5.00	0.655	pCi/L		06/06/24 14:38	1



# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-05**

**Lab Sample ID: 500-250106-6**

Date Collected: 05/08/24 09:41

Matrix: Water

Date Received: 05/09/24 08:05

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0176	U	0.0939	0.0939	1.00	0.178	pCi/L	05/13/24 10:09	06/04/24 23:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		30 - 110					05/13/24 10:09	06/04/24 23:16	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.00762	U	0.337	0.337	1.00	0.629	pCi/L	05/13/24 10:14	05/31/24 12:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.6		30 - 110					05/13/24 10:14	05/31/24 12:14	1
Y Carrier	81.1		30 - 110					05/13/24 10:14	05/31/24 12:14	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.0253	U	0.350	0.350	5.00	0.629	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-06**  
**Date Collected: 05/08/24 11:00**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-7**  
**Matrix: Water**

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.216		0.108	0.110	1.00	0.131	pCi/L	05/13/24 10:09	06/04/24 23:16	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.5		30 - 110					05/13/24 10:09	06/04/24 23:16	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	-0.0642	U	0.316	0.316	1.00	0.600	pCi/L	05/13/24 10:14	05/31/24 12:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	99.5		30 - 110					05/13/24 10:14	05/31/24 12:14	1
Y Carrier	81.9		30 - 110					05/13/24 10:14	05/31/24 12:14	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.152	U	0.334	0.335	5.00	0.600	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-09**  
**Date Collected: 05/08/24 15:57**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-8**  
**Matrix: Water**

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-226	0.0102	U	0.101	0.101	1.00	0.211	pCi/L	05/14/24 09:06	06/05/24 14:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		30 - 110					05/14/24 09:06	06/05/24 14:14	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Radium-228	0.215	U	0.371	0.372	1.00	0.634	pCi/L	05/14/24 09:11	06/04/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	88.3		30 - 110					05/14/24 09:11	06/04/24 12:11	1
Y Carrier	87.1		30 - 110					05/14/24 09:11	06/04/24 12:11	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
Combined Radium 226 + 228	0.225	U	0.385	0.385	5.00	0.634	pCi/L		06/06/24 14:38	1

# Client Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-10**  
**Date Collected: 05/08/24 12:13**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-9**  
**Matrix: Water**

**Method: EPA 903.0 - Radium-226 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-226</b>	<b>0.287</b>		0.167	0.169	1.00	0.204	pCi/L	05/14/24 09:06	06/05/24 14:14	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		30 - 110					05/14/24 09:06	06/05/24 14:14	1

**Method: EPA 904.0 - Radium-228 (GFPC)**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Radium-228</b>	<b>0.543</b>		0.354	0.358	1.00	0.520	pCi/L	05/14/24 09:11	06/04/24 12:11	1
Carrier	%Yield	Qualifier	Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	90.3		30 - 110					05/14/24 09:11	06/04/24 12:11	1
Y Carrier	83.7		30 - 110					05/14/24 09:11	06/04/24 12:11	1

**Method: TAL-STL Ra226\_Ra228 - Combined Radium-226 and Radium-228**

Analyte	Result	Qualifier	Count Uncert. (2σ+/-)	Total Uncert. (2σ+/-)	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
<b>Combined Radium 226 + 228</b>	<b>0.831</b>		0.391	0.396	5.00	0.520	pCi/L		06/06/24 14:38	1

# Definitions/Glossary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Qualifiers

### Rad

Qualifier	Qualifier Description
U	Result is less than the sample detection limit.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# QC Association Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Rad

### Prep Batch: 660926

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	PrecSep-21	
500-250106-2	MW-12	Total/NA	Water	PrecSep-21	
500-250106-3	2S/3S Duplicate	Total/NA	Water	PrecSep-21	
500-250106-4	MW-16	Total/NA	Water	PrecSep-21	
500-250106-5	MW-17	Total/NA	Water	PrecSep-21	
MB 160-660926/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-660926/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	
500-250106-1 DU	MW-11	Total/NA	Water	PrecSep-21	

### Prep Batch: 660927

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-1	MW-11	Total/NA	Water	PrecSep_0	
500-250106-2	MW-12	Total/NA	Water	PrecSep_0	
500-250106-3	2S/3S Duplicate	Total/NA	Water	PrecSep_0	
500-250106-4	MW-16	Total/NA	Water	PrecSep_0	
500-250106-5	MW-17	Total/NA	Water	PrecSep_0	
MB 160-660927/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-660927/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	
500-250106-1 DU	MW-11	Total/NA	Water	PrecSep_0	

### Prep Batch: 661407

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6	MW-05	Total/NA	Water	PrecSep-21	
500-250106-7	MW-06	Total/NA	Water	PrecSep-21	
MB 160-661407/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-661407/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

### Prep Batch: 661408

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-6	MW-05	Total/NA	Water	PrecSep_0	
500-250106-7	MW-06	Total/NA	Water	PrecSep_0	
MB 160-661408/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-661408/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

### Prep Batch: 661579

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-8	MW-09	Total/NA	Water	PrecSep-21	
500-250106-9	MW-10	Total/NA	Water	PrecSep-21	
MB 160-661579/1-A	Method Blank	Total/NA	Water	PrecSep-21	
LCS 160-661579/2-A	Lab Control Sample	Total/NA	Water	PrecSep-21	

### Prep Batch: 661580

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
500-250106-8	MW-09	Total/NA	Water	PrecSep_0	
500-250106-9	MW-10	Total/NA	Water	PrecSep_0	
MB 160-661580/1-A	Method Blank	Total/NA	Water	PrecSep_0	
LCS 160-661580/2-A	Lab Control Sample	Total/NA	Water	PrecSep_0	

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Method: 903.0 - Radium-226 (GFPC)

**Lab Sample ID: MB 160-660926/1-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 660926**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.007787	U	0.0443	0.0443	1.00	0.0899	pCi/L	05/09/24 09:03	06/04/24 10:05	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					05/09/24 09:03	06/04/24 10:05	1
	93.3									

**Lab Sample ID: LCS 160-660926/2-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 660926**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	10.95		1.13	1.00	0.0934	pCi/L	97	75 - 125
Carrier	LCS	LCS	Limits						
Ba Carrier	%Yield	LCS Qualifier	30 - 110						
	93.3								

**Lab Sample ID: 500-250106-1 DU**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: MW-11**  
**Prep Type: Total/NA**  
**Prep Batch: 660926**

Analyte	Sample		DU	DU	Total	RL	MDC	Unit	RER	RER Limit
	Result	Sample Qual	Result	Qual	Uncert. (2σ+/-)					
Radium-226	0.337		0.5105		0.133	1.00	0.0842	pCi/L	0.67	1
Carrier	DU	DU	Limits							
Ba Carrier	%Yield	DU Qualifier	30 - 110							
	96.3									

**Lab Sample ID: MB 160-661407/1-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 661407**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	MB Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	0.02375	U	0.0739	0.0740	1.00	0.140	pCi/L	05/13/24 10:09	06/04/24 23:24	1
Carrier	MB		Limits					Prepared	Analyzed	Dil Fac
Ba Carrier	%Yield	MB Qualifier	30 - 110					05/13/24 10:09	06/04/24 23:24	1
	92.8									

**Lab Sample ID: LCS 160-661407/2-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 661407**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	10.80		1.17	1.00	0.134	pCi/L	95	75 - 125

Eurofins Chicago

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Method: 903.0 - Radium-226 (GFPC) (Continued)

**Lab Sample ID: LCS 160-661407/2-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 661407**

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	91.8		30 - 110

**Lab Sample ID: MB 160-661579/1-A**  
**Matrix: Water**  
**Analysis Batch: 664836**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 661579**

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-226	-0.06966	U	0.0884	0.0886	1.00	0.228	pCi/L	05/14/24 09:06	06/05/24 14:13	1

	MB	MB	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	99.0		30 - 110

	Prepared	Analyzed	Dil Fac
Ba Carrier	05/14/24 09:06	06/05/24 14:13	1

**Lab Sample ID: LCS 160-661579/2-A**  
**Matrix: Water**  
**Analysis Batch: 664836**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 661579**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-226	11.3	11.23		1.32	1.00	0.218	pCi/L	99	75 - 125

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	98.0		30 - 110

## Method: 904.0 - Radium-228 (GFPC)

**Lab Sample ID: MB 160-660927/1-A**  
**Matrix: Water**  
**Analysis Batch: 663323**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 660927**

Analyte	MB MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier	Uncert. (2σ+/-)	Uncert. (2σ+/-)						
Radium-228	0.4190	U	0.323	0.326	1.00	0.492	pCi/L	05/09/24 09:07	05/24/24 11:43	1

	MB	MB	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	93.3		30 - 110
Y Carrier	79.3		30 - 110

	Prepared	Analyzed	Dil Fac
Ba Carrier	05/09/24 09:07	05/24/24 11:43	1
Y Carrier	05/09/24 09:07	05/24/24 11:43	1

**Lab Sample ID: LCS 160-660927/2-A**  
**Matrix: Water**  
**Analysis Batch: 663323**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 660927**

Analyte	Spike Added	LCS Result	LCS Qual	Total	RL	MDC	Unit	%Rec	%Rec Limits
				Uncert. (2σ+/-)					
Radium-228	8.91	10.59		1.40	1.00	0.497	pCi/L	119	75 - 125

Eurofins Chicago



# QC Sample Results

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Method: 904.0 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: LCS 160-660927/2-A**  
**Matrix: Water**  
**Analysis Batch: 663323**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 660927**

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	93.3		30 - 110
Y Carrier	80.4		30 - 110

**Lab Sample ID: 500-250106-1 DU**  
**Matrix: Water**  
**Analysis Batch: 663180**

**Client Sample ID: MW-11**  
**Prep Type: Total/NA**  
**Prep Batch: 660927**

Analyte	Sample		DU	DU	Total	RL	MDC	Unit	RER	Limit
	Result	Qual								
Radium-228	0.480	U	0.9288		0.412	1.00	0.533	pCi/L	0.56	1

	DU	DU	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	96.3		30 - 110
Y Carrier	80.0		30 - 110

**Lab Sample ID: MB 160-661408/1-A**  
**Matrix: Water**  
**Analysis Batch: 664147**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 661408**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.4504	U	0.376	0.379	1.00	0.587	pCi/L	05/13/24 10:14	05/31/24 12:17	1

	MB	MB		Prepared	Analyzed	Dil Fac
Carrier	%Yield	Qualifier	Limits			
Ba Carrier	92.8		30 - 110	05/13/24 10:14	05/31/24 12:17	1
Y Carrier	81.5		30 - 110	05/13/24 10:14	05/31/24 12:17	1

**Lab Sample ID: LCS 160-661408/2-A**  
**Matrix: Water**  
**Analysis Batch: 664147**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 661408**

Analyte	Spike	LCS	LCS	Total	RL	MDC	Unit	%Rec	%Rec	Limits
Radium-228	8.89	10.14		1.40	1.00	0.585	pCi/L	114	75 - 125	

	LCS	LCS	
Carrier	%Yield	Qualifier	Limits
Ba Carrier	91.8		30 - 110
Y Carrier	81.5		30 - 110

**Lab Sample ID: MB 160-661580/1-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 661580**

Analyte	MB		Count	Total	RL	MDC	Unit	Prepared	Analyzed	Dil Fac
	Result	Qualifier								
Radium-228	0.02770	U	0.269	0.269	1.00	0.494	pCi/L	05/14/24 09:11	06/04/24 12:10	1

Euofins Chicago

# QC Sample Results

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Method: 904.0 - Radium-228 (GFPC) (Continued)

**Lab Sample ID: MB 160-661580/1-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 661580**

Carrier	MB MB		Limits
	%Yield	Qualifier	
Ba Carrier	99.0		30 - 110
Y Carrier	88.6		30 - 110

Prepared	Analyzed	Dil Fac
05/14/24 09:11	06/04/24 12:10	1
05/14/24 09:11	06/04/24 12:10	1

**Lab Sample ID: LCS 160-661580/2-A**  
**Matrix: Water**  
**Analysis Batch: 664625**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 661580**

Analyte	Spike Added	LCS Result	LCS Qual	Total Uncert. (2σ+/-)	RL	MDC	Unit	%Rec	%Rec
									Limits
Radium-228	8.88	9.856		1.31	1.00	0.503	pCi/L	111	75 - 125

Carrier	LCS LCS		Limits
	%Yield	Qualifier	
Ba Carrier	98.0		30 - 110
Y Carrier	87.1		30 - 110





# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Lab PM: Mockler, Diana J	Carrier Tracking No(s): 500-187962.1
Client Contact: Diana Mockler		E-Mail: Diana.Mockler@eurofins.com	Page: 1 of 1
Shipping/Receiving: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Illinois	Job #: 500-250106-2
Address: 13715 Rider Trail North, Earth City, MO 63045		Due Date Requested: 6/5/2024	Preservation Codes:
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		TAT Requested (days):	
Email:		PO #:	
Project Name: Will County CCR		WO #:	
Site: NRG Midwest Generation Will County		Project #: 50011609	
		SSOW#:	

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Camp, G=grab)	Matrix (W=water, S=solid, O=wastewater, BT=tissue, A=air)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	903.0/PreSep_21 Standard Target List	904.0/PreSep_0 Standard Target List	Ra226Ra228_GFPc	Total Number of containers	Special Instructions/Note:
MW-11 (500-250106-1)	5/6/24	12:35 Central	Water	Water	X	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;
MW-12 (500-250106-2)	5/6/24	10:49 Central	Water	Water	X	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;
2S/2S Duplicate (500-250106-3)	5/6/24	13:59 Central	Water	Water	X	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;
MW-16 (500-250106-4)	5/6/24	11:49 Central	Water	Water	X	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;
MW-17 (500-250106-5)	5/6/24	11:49 Central	Water	Water	X	X	X	X	X		3	Batch QC must be performed (dup. spikes, etc) - no NCMs concerning limited volume;

Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.

**Possible Hazard Identification**  
 Unconfirmed  
 Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_ Primary Deliverable Rank: 2

Empty Kit Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_

Relinquished by: *Alvin Scott* Date/Time: 5/7/24 1550 Company: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Relinquished by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Custody Seals Intact:  Yes  No Custody Seal No.: \_\_\_\_\_

Special Instructions/QC Requirements: \_\_\_\_\_

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months

Received by: *Sigma Worthington* Date/Time: MAY 8 2024 0835 Company: *CPA312*

Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Received by: \_\_\_\_\_ Date/Time: \_\_\_\_\_ Company: \_\_\_\_\_

Cooler Temperature(s) °C and Other Remarks: \_\_\_\_\_

**Eurofins Chicago**  
 2417 Bond Street  
 University Park, IL 60484  
 Phone: 708-534-5200 Fax: 708-534-5211

# Chain of Custody Record



Environment Testing



<b>Client Information (Sub Contract Lab)</b>		Sampler: Mocker, Diana J		Carrier Tracking No(s): 500-188112.1		
Client Contact: Shipping/Receiving		Phone: Diana.Mocker@et.eurofinsus.com		Page: Page 1 of 1		
Company: TestAmerica Laboratories, Inc.		E-Mail: Diana.Mocker@et.eurofinsus.com		Job #: 500-250106-2		
Address: 13715 Rider Trail North,		Accreditations Required (See note): NELAP - Illinois		Preservation Codes:		
City: Earth City		Due Date Requested: 6/10/2024		Analysis Requested:		
State, Zip: MO, 63045		TAT Requested (days):		Total Number of containers		
Phone: 314-298-8566(Tel) 314-298-8757(Fax)		PO #:		Perform MS/MSD (Yes or No)		
Email:		WO #:		Field Filtered Sample (Yes or No)		
Project Name: Will County CCR (RAD)		Project #: 50011609		903.0/PreSep_21 Standard Target List		
Site: NRG Midwest Generation Will County		SSOW#:		904.0/PreSep_0 Standard Target List		
				R226Ra228_GFPc		
Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Newater, Seawater, On-water, BT-Tissue, AAM)	Preservation Code:	Special Instructions/Note:
MW-05 (500-250106-6)	5/8/24	09:41 Central		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume.
MW-06 (500-250106-7)	5/8/24	11:00 Central		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume.
MW-09 (500-250106-8)	5/8/24	15:57 Central		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume.
MW-10 (500-250106-9)	5/8/24	12:13 Central		Water		Batch QC must be performed (dup, spikes, etc) - no NCMs concerning limited volume.
<p>Note: Since laboratory accreditations are subject to change, Eurofins Chicago places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Chicago laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Chicago attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Chicago.</p>						
<p><b>Possible Hazard Identification</b>          Unconfirmed</p>						
<p>Deliverable Requested: I, II, III, IV, Other (specify) _____ Primary Deliverable Rank: 2</p>						
<p>Empty Kit Reinquished by: _____ Date: _____ Time: _____</p>						
<p>Reinquished by: _____ Date/Time: 5/30/24 16:10 Company: PETA Company</p>						
<p>Reinquished by: _____ Date/Time: _____ Company: _____</p>						
<p>Reinquished by: _____ Date/Time: _____ Company: _____</p>						
<p>Custody Seals Intact: _____ Custody Seal No.: _____</p>						
<p>Δ Yes Δ No Cooler Temperature(s) °C and Other Remarks:</p>						
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months</p>						
<p>Special Instructions/QC Requirements:</p>						
<p>Method of Shipment: _____ Date/Time: _____ Company: _____</p>						
<p>Received by: _____ Date/Time: MAY 10 2024 09:00 Company: _____</p>						
<p>Received by: _____ Date/Time: _____ Company: _____</p>						



# Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-250106-2

**Login Number: 250106**

**List Source: Eurofins Chicago**

**List Number: 1**

**Creator: Hernandez, Stephanie**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	1.7,1.8,1.8,2.0
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-250106-2

**Login Number: 250106**

**List Number: 2**

**Creator: Worthington, Sierra M**

**List Source: Eurofins St. Louis**

**List Creation: 05/08/24 12:27 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	





# Login Sample Receipt Checklist

Client: Midwest Generation EME LLC

Job Number: 500-250106-2

**Login Number: 250106**

**List Number: 3**

**Creator: Pinette, Meadow L**

**List Source: Eurofins St. Louis**

**List Creation: 05/10/24 02:09 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# Lab Chronicle

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Client Sample ID: MW-11

Date Collected: 05/06/24 12:35

Date Received: 05/07/24 14:55

Lab Sample ID: 500-250106-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			660926	MLT	EET SL	05/09/24 09:03
Total/NA	Analysis	903.0		1	664625	SCB	EET SL	06/04/24 10:05
Total/NA	Prep	PrecSep_0			660927	MLT	EET SL	05/09/24 09:07
Total/NA	Analysis	904.0		1	663323	SCB	EET SL	05/24/24 11:43
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

## Client Sample ID: MW-12

Date Collected: 05/06/24 10:49

Date Received: 05/07/24 14:55

Lab Sample ID: 500-250106-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			660926	MLT	EET SL	05/09/24 09:03
Total/NA	Analysis	903.0		1	664625	SCB	EET SL	06/04/24 12:15
Total/NA	Prep	PrecSep_0			660927	MLT	EET SL	05/09/24 09:07
Total/NA	Analysis	904.0		1	663180	SCB	EET SL	05/24/24 11:43
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

## Client Sample ID: 2S/3S Duplicate

Date Collected: 05/06/24 00:00

Date Received: 05/07/24 14:55

Lab Sample ID: 500-250106-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			660926	MLT	EET SL	05/09/24 09:03
Total/NA	Analysis	903.0		1	664627	SCB	EET SL	06/04/24 12:07
Total/NA	Prep	PrecSep_0			660927	MLT	EET SL	05/09/24 09:07
Total/NA	Analysis	904.0		1	663180	SCB	EET SL	05/24/24 11:43
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

## Client Sample ID: MW-16

Date Collected: 05/06/24 13:59

Date Received: 05/07/24 14:55

Lab Sample ID: 500-250106-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			660926	MLT	EET SL	05/09/24 09:03
Total/NA	Analysis	903.0		1	664627	SCB	EET SL	06/04/24 12:07
Total/NA	Prep	PrecSep_0			660927	MLT	EET SL	05/09/24 09:07
Total/NA	Analysis	904.0		1	663180	SCB	EET SL	05/24/24 11:43
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

# Lab Chronicle

Client: Midwest Generation EME LLC  
 Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-17**  
**Date Collected: 05/06/24 11:49**  
**Date Received: 05/07/24 14:55**

**Lab Sample ID: 500-250106-5**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			660926	MLT	EET SL	05/09/24 09:03
Total/NA	Analysis	903.0		1	664627	SCB	EET SL	06/04/24 12:07
Total/NA	Prep	PrecSep_0			660927	MLT	EET SL	05/09/24 09:07
Total/NA	Analysis	904.0		1	663180	SCB	EET SL	05/24/24 11:43
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

**Client Sample ID: MW-05**  
**Date Collected: 05/08/24 09:41**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-6**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			661407	KAK	EET SL	05/13/24 10:09
Total/NA	Analysis	903.0		1	664517	SCB	EET SL	06/04/24 23:16
Total/NA	Prep	PrecSep_0			661408	KAK	EET SL	05/13/24 10:14
Total/NA	Analysis	904.0		1	664149	SCB	EET SL	05/31/24 12:14
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

**Client Sample ID: MW-06**  
**Date Collected: 05/08/24 11:00**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-7**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			661407	KAK	EET SL	05/13/24 10:09
Total/NA	Analysis	903.0		1	664517	SCB	EET SL	06/04/24 23:16
Total/NA	Prep	PrecSep_0			661408	KAK	EET SL	05/13/24 10:14
Total/NA	Analysis	904.0		1	664149	SCB	EET SL	05/31/24 12:14
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

**Client Sample ID: MW-09**  
**Date Collected: 05/08/24 15:57**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-8**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	PrecSep-21			661579	MLT	EET SL	05/14/24 09:06
Total/NA	Analysis	903.0		1	664836	SCB	EET SL	06/05/24 14:14
Total/NA	Prep	PrecSep_0			661580	MLT	EET SL	05/14/24 09:11
Total/NA	Analysis	904.0		1	664625	SCB	EET SL	06/04/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

# Lab Chronicle

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

**Client Sample ID: MW-10**  
**Date Collected: 05/08/24 12:13**  
**Date Received: 05/09/24 08:05**

**Lab Sample ID: 500-250106-9**  
**Matrix: Water**

<u>Prep Type</u>	<u>Batch Type</u>	<u>Batch Method</u>	<u>Run</u>	<u>Dilution Factor</u>	<u>Batch Number</u>	<u>Analyst</u>	<u>Lab</u>	<u>Prepared or Analyzed</u>
Total/NA	Prep	PrecSep-21			661579	MLT	EET SL	05/14/24 09:06
Total/NA	Analysis	903.0		1	664836	SCB	EET SL	06/05/24 14:14
Total/NA	Prep	PrecSep_0			661580	MLT	EET SL	05/14/24 09:11
Total/NA	Analysis	904.0		1	664625	SCB	EET SL	06/04/24 12:11
Total/NA	Analysis	Ra226_Ra228		1	664952	FLC	EET SL	06/06/24 14:38

**Laboratory References:**

EET SL = Eurofins St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566



# Tracer/Carrier Summary

Client: Midwest Generation EME LLC  
Project/Site: Will County CCR (RAD)

Job ID: 500-250106-2

## Method: 903.0 - Radium-226 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)
500-250106-1	MW-11	84.1
500-250106-1 DU	MW-11	96.3
500-250106-2	MW-12	93.3
500-250106-3	2S/3S Duplicate	94.3
500-250106-4	MW-16	92.5
500-250106-5	MW-17	94.3
500-250106-6	MW-05	88.6
500-250106-7	MW-06	99.5
500-250106-8	MW-09	88.3
500-250106-9	MW-10	90.3
LCS 160-660926/2-A	Lab Control Sample	93.3
LCS 160-661407/2-A	Lab Control Sample	91.8
LCS 160-661579/2-A	Lab Control Sample	98.0
MB 160-660926/1-A	Method Blank	93.3
MB 160-661407/1-A	Method Blank	92.8
MB 160-661579/1-A	Method Blank	99.0

#### Tracer/Carrier Legend

Ba = Ba Carrier

## Method: 904.0 - Radium-228 (GFPC)

Matrix: Water

Prep Type: Total/NA

### Percent Yield (Acceptance Limits)

Lab Sample ID	Client Sample ID	Ba (30-110)	Y (30-110)
500-250106-1	MW-11	84.1	79.3
500-250106-1 DU	MW-11	96.3	80.0
500-250106-2	MW-12	93.3	83.4
500-250106-3	2S/3S Duplicate	94.3	82.2
500-250106-4	MW-16	92.5	82.6
500-250106-5	MW-17	94.3	72.5
500-250106-6	MW-05	88.6	81.1
500-250106-7	MW-06	99.5	81.9
500-250106-8	MW-09	88.3	87.1
500-250106-9	MW-10	90.3	83.7
LCS 160-660927/2-A	Lab Control Sample	93.3	80.4
LCS 160-661408/2-A	Lab Control Sample	91.8	81.5
LCS 160-661580/2-A	Lab Control Sample	98.0	87.1
MB 160-660927/1-A	Method Blank	93.3	79.3
MB 160-661408/1-A	Method Blank	92.8	81.5
MB 160-661580/1-A	Method Blank	99.0	88.6

#### Tracer/Carrier Legend

Ba = Ba Carrier

Y = Y Carrier

PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-8-24
Sample Name	MW-05	Start Time	09:23	
Condition of Well	GOOD			
Water Level	9.76	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLLECTS Oxidizes	
Volume Removed	2.75 Qes	W L at Sample Time	9.77	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAN	
Sample Analysis	CCA + CCR	Sample Time	09:41	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
09:26	9.78	7.16	13.6	2.122	5.48	104.4	7.01
09:29	9.78	7.10	13.1	1.918	2.70	103.2	6.52
09:32	9.78	7.18	13.5	1.627	0.98	99.7	6.39
09:35	9.79	7.25	13.5	1.488	0.54	97.4	6.28
09:38	9.77	7.32	13.5	1.398	0.36	95.2	6.32
09:41	9.77	7.36	13.5	1.367	0.30	94.1	6.47

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-8-24
Sample Name	MW-06	Start Time	10:33	
Condition of Well	GOOD			
Water Level	11.32	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	SLIGHT TAD TINT WITH PARTICLES SLIGHT TURB	
Volume Removed	4.0 QTS	WL at Sample Time	11.36	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR WHEN FILTERED	
Sample Analysis	CCA + CLR	Sample Time	11:00	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
10:36	11.37	7.97	15.5	0.991	6.69	104.5	10.75
10:39	11.37	7.78	13.9	1.025	3.12	94.4	80.68
10:42	—	7.76	13.2	1.023	3.50	85.0	70.21
10:45	11.36	7.70	13.2	0.999	0.47	44.2	51.13
10:48	—	7.68	13.9	0.993	0.24	25.0	37.60
10:51	11.36	7.68	13.8	0.993	0.05	-1.9	21.06
10:54	11.36	7.67	13.8	0.992	0.01	-14.3	17.92
10:57	—	7.67	13.6	0.997	-0.05	-33.7	11.70
11:00	11.36	7.66	13.6	0.999	-0.06	-38.7	13.11

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-8-24
Sample Name	MW-09	Start Time	15:39	
Condition of Well	GOOD			
Water Level	10.90	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS SLIGHT ODOR	
Volume Removed	2.25 Q13	W L at Sample Time	11.10	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR	
Sample Analysis	<sup>12/15</sup> CCA + <sup>25/35</sup> CCR + CCR	Sample Time	15:57	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
15:42	11.12	7.88	20.5	0.676	6.55	-96.4	9.42
15:45	11.08	8.24	16.3	1.379	6.02	-103.7	8.77
15:48	11.12	9.06	15.0	1.357	3.12	-76.1	9.96
15:51	11.12	9.24	14.9	1.355	2.10	-69.0	9.46
15:54	11.15	9.30	14.7	1.358	1.45	-66.2	8.83
15:57	11.10	9.33	14.5	1.357	1.10	-66.3	8.90

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates





PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-8-24
Sample Name	MW-10	Start Time	11:49	
Condition of Well	GOOD			
Water Level	10.05	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	CLOUDLESS SLIGHT ODDNESS TURB	
Volume Removed	2.75 GALS	W L at Sample Time	10.21	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR FILTERED.	
Sample Analysis	CCA + CLR	Sample Time	12:13	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
11:52	10.16	7.44	15.2	1.586	7.35	5.4	9.52
11:55	10.18	7.33	14.3	1.521	4.01	-35.8	13.35
11:58	10.18	7.29	13.6	1.489	1.65	-69.4	48.23
12:01	10.19	7.26	14.7	0.013	6.07	-48.1	72.80
12:04	—	7.23	14.8	1.475	2.22	-80.8	76.1
12:07	10.21	7.22	14.4	1.470	1.23	-84.3	54.83
12:10	10.22	7.23	13.2	1.464	0.50	-98.1	35.11
12:13	10.21	7.23	13.0	1.463	0.41	-100.3	31.63

FLUSH CELL

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-6-24
Sample Name	MW-11	Start Time	12:20	
Condition of Well	GOOD			
Water Level	9.56	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS ODORLESS	
Volume Removed	2.25 Gals.	W L at Sample Time	9.65	
Method of Sample	Low-Flow	Sample Characteristics	CLEAR - SLIGHT TINT TRACE TURB	
Sample Analysis	CCR	Sample Time	12:35	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
12:23	9.74	7.87	13.5	1.327	7.07	55.9	8.58
12:26	9.72	7.47	13.7	1.308	4.46	49.8	8.42
12:29	9.70	7.39	16.1	1.298	3.42	37.1	20.10
12:32	9.67	7.38	16.5	1.312	2.69	26.6	39.13
12:35	9.65	7.37	16.7	1.313	2.54	22.2	42.41

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates



PROJECT NAME	NRG - WILL COUNTY STATION (12313.3)		DATE	5-6-24
Sample Name	MW-12	Start Time	10:37	
Condition of Well	Good			
Water Level	10-01	Total Depth	—	
Well Diameter	PVC - 2 inch	Volume in Well	—	
Method of Purge	Low-Flow	Purge Characteristics	COLORLESS ODORLESS	
Volume Removed	2.0 QRS.	WL at Sample Time	10.04	
Method of Sample	Low-Flow	Sample Characteristics	APPEARS CLEAR	
Sample Analysis	CCR + CCR Dup.	Sample Time	10:49	
Water Quality Meter	YSI ProDss			

Time	Depth to Water (ft)	ph (SU)	Temp (°C)	Spec. Cond (mS/cm)	DO (mg/L)	ORP (mV)	Turbidity (NTU)
10:40	10.07	7.12	12.0	1.862	3.33	151.7	8.44
10:43	10.06	7.02	12.3	1.910	1.10	156.4	7.90
10:46	10.04	7.02	12.2	1.913	0.41	156.1	8.15
10:49	10.04	7.02	12.1	1.909	0.24	155.2	8.31

SAMPLING NOTES:

Sampler Name and Company:

KPRG and Associates

