## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

•	ve ponds are required to be maintained with Init Instrumentation should be inspected onc					
Date: 1-14-	-2004 Time: 1100 HRS Type of Inst	pection: We	eekly 🗹 S	Storm Event(	۵	
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S		
			EMPTY   FULL   PARTIALLY FULL		EMPTY   FULL   PARTIALLY FULL	
2) Water Le	vel in Pond	NORM HIGH LOW	MAL []	NORM HIGH LOW	AL O	
3) Is Ash Bei	ing Removed?	YES 🗆	NO I	YES 🗆	NO 🗹	
4) In Service	27		NO 🗹		NO 🗹	
PHYSICAL INSPECTION:						
	from or through embankment? Includes ound ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
2) Sinkholes embankn	s/Depressions/Bulges in Pond or ments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
1 -	Piping/Channels or other Internal Erosion nkments?	YES 🗆	NO Œ	YES 🗆	NO 🗹	
4) Cracking	on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5) Animal B	urrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
1 *	e or Lacking Vegetative Cover on ments? (should be normal growth)	YES 🗆	NO D	YES 🗆	NO 🗹	
7) Slope Ero	osion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
L. '	n embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
1 *	ation, malfunctions, or improper operation opping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
10) Visible Re	eleases	YES 🗆 🔻	NO 🗹	YES 🗆	NO ₪	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES □ NO ☑ — SNOW COVERED  12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □  12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A  12.f) Notified Station Management of Damage? YES   Date Notified: N/A  12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION  2S Level (ft) Gauge Marking   Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)  3S Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
Qualified Person's Name:

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	CCR Unit Instrumentation should be inspected once		ypically on S	Sunday).		
Date: 1	1-17-2024 Time: 1100 HC Type of Insp	ection: We	ekly 🗹 S	Storm Event(	<b>_</b>	
PONDS 25 AND 3S:  GENERAL INFORMATION:		POND 2S		POND 3S		
1) Ge	) General Condition		EMPTY ☐ FULL ☐ PARTIALLY FULL ☑		EMPTY ☐ FULL ☐ PARTIALLY FULL ☑	
2) W	Jater Level in Pond	NORM HIGH LOW	IAL O	NORM/ HIGH LOW	AL O	
3) Is	Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4) In	Service?		NO 🗹		NO 🗹	
PHYSI	ICAL INSPECTION:					
	eepage from or through embankment? Includes pads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	inkholes/Depressions/Bulges in Pond or mbankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
	igns of Piping/Channels or other Internal Erosion n embankments?	YES 🗆	NO 🗹	YES 🗆	NO A	
4) Cr	racking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5) Ar	nimal Burrows on embankments?	YES 🖸	NO 🗹	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
, ,	xcessive or Lacking Vegetative Cover on mbankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
7) Sl	lope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8) De	ebris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
, ,	Peterioration, malfunctions, or improper operation for overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO ☑	
10) V	isible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES   NO   - SNOW COVERED   12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) is Water Level Below Damage? YES  NO N/A 12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A  12.f) Notified Station Management of Damage? YES   Date Notified: N/A  12.g) Additional Comments:
ONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \( \text{NO } \text{ NO } \text{ \text{\text{T}}} \) 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \( \text{NO } \text{\text{\text{T}}} \)
If Yes — contact the Environmental Specialist
OND LEVEL INSTRUMENTATION
S Level (ft) Gauge Marking 6 Elevation (FT/MSL) 588.3 (Use 25 El. Gauging Chart App A)  S Level (ft) Gauge Marking 19 Elevation (FT/MSL) 583.9 (Use 35 El Gauging Chart App B)
S Level (ft) Gauge Marking 19 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B)
Sauge Marker Instrument is in good condition and readable YES M NO
Qualified Person's Name: