## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date: 8-18-2024Time: 1100HB Type of Inspection: Weekly W Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S			
1)	General Condition	EMPTY   FULL   PARTIALLY FULL		EMPTY  PARTIALLY F	FULL D		
2)	Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM. HIGH LOW	AL O		
3)	Is Ash Being Removed?	YES 🗆	NO ☑	YES 🗆	NO 🗹		
4)	In Service?		NO 🗹		NO 🗹		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO I	YES 🗆	NO 🗹		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO E	YES 🗆	NO 🗹		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🖸	YES 🗆	NO 🗹		
10)	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
	1 of 7			142			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES NO Z  12.a) If YES, Describe in Detail:					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES  NO N/A  12.d) If No, Did You Reduce Pond Level? YES N/A  12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A  12.f) Notified Station Management of Damage? YES Date Notified: N/A  12.g) Additional Comments:					
PONDS 1N, 15:  1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO					
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO ☑  2) IS THERE ANY VISIBLE WATER POOLING 1S? YES □ NO ☑  If Yes — contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION  25 Level (ft) Gauge Marking   Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)  35 Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 583.2 (Use 35 EL Gauging Chart App B)					
Gauge Marker Instrument is in good condition and readable YES 17 NO   Qualified Person's Name:					

## TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

## **INSTRUCTIONS:**

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date: 8-21-24 Time: 1:15 Type of Inspection: Weekly Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:	POND 2S		POND 3S				
1) General Condition	EMPTY   BARTIALLY	FULL 🗀	EMPTY 🗆	FULL			
	PARTIALLY FULL		PARTIALLY FULL				
Water Level in Pond	NORMAL		NORMAL []				
	HIGH	□ 5 <del>27</del>	HIGH				
	LOW	<u> </u>	LOW	×			
3) Is Ash Being Removed?	YES 🗆	ио 🔀	YES 🗆	NO 🙎			
4) In Service?		NO 🔀		NO 🗷			
PHYSICAL INSPECTION:							
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	№ 🔀	YES 🗆	NO 🔀			
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	№ 💆	YES 🗆	NO 🔟			
Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔀	YES 🗆	NO 🖾			
4) Cracking on Embankments/Berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔽			
5) Animal Burrows on embankments?	YES 🗆	NO 🔽	YES 🗆	NO 🔽			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🔼	YES 🗆	NO 🔯			
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗵	YES 🗆	NO 🔀			
8) Debris on embankments/berms?	YES 🗆	NO 🔀	YES 🗆	NO 🔯			
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🔽	YES 🗆	NO 🖾			
10) Visible Releases	YES 🗆	NO 🔀	YES 🗆	NO 💆			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES  NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES □ N/A □
12.e) Notified Shift Supervisor of Damage? YES   Date Notified: N/A
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES  NO  NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES □ NO ▼
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 5893 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 583.2 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🔀 NO 🗖
Qualified Person's Name: