TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).							
Date	: 1/3/24 Time: 10M Type of Insp	ection: We	ekly A S	torm Event			
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 35			
1)	General Condition	EMPTY FULL PARTIALLY FULL		EMPTY D FULL D			
2)	Water Level in Pond	NORM HIGH LOW	AL O	NORM HIGH LOW			
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
4)	In Service?		NO 🗹	<u> </u>	NO 🗹		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO Ø		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🕝		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖪	YES 🗆	NO 🗹		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🖳	YES 🗆	NO 🖺		
8)	Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
10	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES INO NO 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO NA NA 12.d) If No, Did You Reduce Pond Level? YES NA 12.e) Notified Shift Supervisor of Damage? YES Date Notified: NA 12.f) Notified Station Management of Damage? YES Date Notified: NA 12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking 6 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking • Elevation (FT/MSL) 582.7 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗆 NO 🗔
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (25&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Sunday).

Date: 11-06-24 Time: 10 AM Type of In		•	itorm Event			
PONDS 25 AND 3S: GENERAL INFORMATION:	PON	POND 2S		POND 3S		
1) General Condition	EMPTY PARTIALLY	EMPTY □ FULL □ EMPTY □ FULL □ PARTIALLY FULL PARTIALLY PARTIALLY FULL PARTIALLY PARTIA		FULL []		
2) Water Level in Pond	NORM HIGH LOW	IAL 🗆 🖂	NORM HIGH LOW	AL 🗆 🗆 📮		
3) Is Ash Being Removed?	YES 🗆	NO 🗷	YES 🗆	NO 🚁		
4) In Service?		NO 🗷		NO 🗷		
PHYSICAL INSPECTION:			<u> </u>			
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗷	YES 🗆	№ Д		
2) Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗷		
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	ио Д∕	YES 🗆	NO 🌠		
4) Cracking on Embankments/Berms?	YES 🗆	NO D	YES 🗆	NO DE		
5) Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🗶		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🍂	YES 🗆	NO 🛱		
7) Slope Erosion on berms or embankments?	YES 🗆	NO X	YES 🗆	ио 💢		
8) Debris on embankments/berms?	YES 🗆	ио 🗷	YES 🗆	ио 🔀		
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🕅	YES 🗆	NO (2)		
10) Visible Releases	YES 🗆	NO 💆	YES 🗆	NO 🗖		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO A NO
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A N/A 12.d) If No, Did You Reduce Pond Level? YES N/A N/A N/A N/A N/A N/A N/A N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A 12.f) Notified Station Management of Damage? YES Date Notified: N/A 12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO △
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO DE NO
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking O Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking [.] Elevation (FT/MSL) <u>583.1</u> (Use <u>35</u> EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🙇 NO 🗖
Qualified Person's Name:

.