TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Friday).

<u>Dat</u>	e: 5.5.2025 Time: 10.00 Type of Insp		eekly 🕅 S	itorm Event		
PONDS 25 AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S		
1)	General Condition	EMPTY □ PARTIALLY	FULL	EMPTY PARTIALLY I	FULL □	
2)	Water Level in Pond	NORM HIGH LOW		NORM HIGH LOW		
3)	Is Ash Being Removed?	YES 🗆	NO \$	YES 🗆	NO 🔀	
4)	In Service?		NO X		NO 💢	
PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🌠	YES 🗆	NO X	
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO D	YES 🗆	№ 🕅	
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🎘	YES 🗆	NO D	
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🌠	YES 🗆	NO 129	
5)	Animal Burrows on embankments?	YES 🗆	NO 🎘	YES 🗆	NO 154	
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.						
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	ио ₡	YES 🗆	NO D	
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🎘	YES 🗆	ио 💆	
8)	Debris on embankments/berms?	YES 🗆	NO DE	YES 🗀	NO D	
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	ио 🔯	YES 🗆	NO 💆	
10	Visible Releases	YES 🗆	NO 🎘	YES 🗆	NO 🌠	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO X 12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES □ Date Notified: N/A □
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □
12.g) Additional Comments:
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 🕱
2) IS THERE ANY VISIBLE WATER POOLING 15? YES □ NO 🖔
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)
3S Level (ft) Gauge Marking 114 Elevation (FT/MSL) 585-4 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 🗵 NO 🗆
Qualified Person's Name:

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

	5) CCR Unit Instrumentation should be inspected once		ypically on F	riday).			
Date	e: 5-9-2025 Time: 1300 HRS Type of Insp	ection: We	ekly 🗹 S	itorm Event (
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 3S			
1)	General Condition	EMPTY PARTIALLY	FULL FULL	- EMPTY □ PARTIALLY F	FULL 🖸		
2)	Water Level in Pond	NORM HIGH LOW	AL 🗆	NORM HIGH LOW	AL O		
3)	Is Ash Being Removed?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
4)	In Service?		NO 🗹		NO 🗷		
PH	PHYSICAL INSPECTION:						
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO IZ	YES 🗆	NO 🗹		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 12	YES 🗆	NO E		
4)	Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
The area	3 descriptions (#6-8) below refer to areas to East, Souti a.	h, and West o	of ponds incl	uding outside	the fence		
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
8)	Debris on embankments/berms?	YES 🗆	NO 🖸	YES 🗆	NO 🗹		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗹	YES 🗆	NO 🗹		
10)	Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO V
12,a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES NO N/A
12.d) If No, Did You Reduce Pond Level? YES \square N/A \square
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 1S:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO ☑
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO
If Yes – contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking D Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)
3S Level (ft) Gauge Marking 1.4 Elevation (FT/MSL) 583.4 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES ☑ NO □
Qualified Person's Name: