TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Friday).

5) CCR Offic instrumentation should be inspected once per week (typically on Friday).							
<u>Dat</u>	e: 527-25 Time: 08:00 Type of Insp	ection: W	eekly 🔀 :	Storm Event (
PO	PONDS 2S AND 3S:						
GE	NERAL INFORMATION:	PON	D 2S	POND 3S			
1)	General Condition	EMPTY 🗆	FULL	ЕМРТУ 🗆	FULL		
		PARTIALLY FULL 174		PARTIALLY FULL			
	Water Level in Pond	NORMAL		NORMAL			
2)		нібн		HIGH			
		LOW	17 \$	LOW	×		
3)	Is Ash Being Removed?	YES 🗆	NO X	YES 🗆	NO 1 25.		
4)	In Service?		NO 2		NO 🙇		
PHYSICAL INSPECTION:							
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 💢	YES 🗆	NO DE		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 💢	YES 🗆	ио ⊠		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🔯	YES 🗆	ио 🔏		
4)	Cracking on Embankments/Berms?	YES 🗆	NO DX	YES 🗆	NO 🔯		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗖	YES 🗆	NO 🕱		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 15/	YES 🗆	NO D		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO D	YES 🗆	NO 🕅		
8)	Debris on embankments/berms?	YES 🗆	NO 💆	YES 🗆	NO Ø		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🕅	YES 🗆	NO 🗹		
10)	Visible Releases	YES 🗆	NO DA	YES 🗆	NO X		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:						
12) Is there any damage to Pond Liner: YES D NO 🗹						
12.a) If YES, Describe in Detail:						
12.b) Specific Location:						
12.c) Is Water Level Below Damage? YES □ NO □ N/A □						
12.d) If No, Did You Reduce Pond Level? YES N/A						
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A						
12.f) Notified Station Management of Damage? YES □ Date Notified: N/A □						
12.g) Additional Comments:						
PONDS 1N, 1S:						
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES NO NO						
2) IS THERE ANY VISIBLE WATER POOLING 15? YES NO NO						
If Yes – contact the Environmental Specialist						
POND LEVEL INSTRUMENTATION						
25 Level (ft) Gauge Marking <0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 583.2 (Use 35 EL Gauging Chart App B)						
3S Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 583.2 (Use 3S EL Gauging Chart App B)						
Gauge Marker Instrument is in good condition and readable YES ✓ NO □						
Qualified Person's Name:						

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- An inspection of each ash pond and related embankments/berms at the Stations shall be conducted <u>at least</u> every 7 days and within 24 hours after a storm event greater or equal to <u>6.45 inches</u>. Will County has scheduled this pond inspection twice weekly (Monday & Friday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.
- 5) CCR Unit Instrumentation should be inspected once per week (typically on Friday).

Date: 530-3635 Time: 10:00 Type of Inspection: Weekly Storm Event							
PONDS 2S AND 3S: GENERAL INFORMATION:		POND 2S		POND 35			
		EMPTY 🗆	FULL	EMPTY 🗆	FULL 🗆		
1)	General Condition	PARTIALLY	FULL 🔀	PARTIALLY I	OFF A		
	Water Level in Pond	NORMAL		NORMAL			
2)		нібн		HIGH			
		LOW	À (Low	×		
3)	Is Ash Being Removed?	YES 🗆	NO 🗓	YES 🗆	NO 🔀		
4)	In Service?		ио ⊠		NO ₩		
PH	YSICAL INSPECTION:				-		
1)	Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 15	YES 🗆	NO 🔯		
2)	Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🔯	YES 🗆	NO K		
3)	Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 4	YES 🗆	NO 💆		
4)	Cracking on Embankments/Berms?	YES 🗆	NO Z	YES 🗆	ио 🗖		
5)	Animal Burrows on embankments?	YES 🗆	NO 🗷	YES 🗆	NO 🔀		
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.							
6)	Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🍇	YES 🗆	NO 🔀		
7)	Slope Erosion on berms or embankments?	YES 🗆	NO M	YES 🗆	NO 🔀		
8)	Debris on embankments/berms?	YES 🗆	NO 🌠	YES 🗆	NO 🔽		
9)	Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO M	YES 🗆	NO 🎘		
10)	Visible Releases	YES 🗆	NO D	YES 🗆	NO 💆		

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:					
12) Is there any damage to Pond Liner: YES D NO M 12.a) If YES, Describe in Detail:					
12.b) Specific Location:					
12.c) Is Water Level Below Damage? YES NO N/A N/A 12.d) If No, Did You Reduce Pond Level? YES N/A					
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A					
12.f) Notified Station Management of Damage? YES Date Notified: N/A					
12.g) Additional Comments:					
PONDS 1N, 1S: 1) IS THERE ANY VISIBLE WATER POOLING 1N? YES 2) IS THERE ANY VISIBLE WATER POOLING 1S? YES NO NO If Yes – contact the Environmental Specialist					
POND LEVEL INSTRUMENTATION					
2S Level (ft) Gauge Marking < 0.0 Elevation (FT/MSL) 588.3 (Use 2S EL Gauging Chart App A) 3S Level (ft) Gauge Marking 1.2 Elevation (FT/MSL) 583.2 (Use 3S EL Gauging Chart App B)					
3S Level (ft) Gauge Marking 11 Elevation (FT/MSL) 585.2 (Use 3S EL Gauging Chart App B) Gauge Marker Instrument is in good condition and readable YES NO NO NO NO NO NO NO NO					
Qualified Person's Name:					