TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).

water levels below 1 foo e per week (typically on !				
ection: Weekly 📜 S	itorm Event 🗆			
POND 2S	POND 3S			
GENERAL INFORMATION:				
EMPTY FULL	EMPTY FULL			
	PARTIALLY FULL 💆			
	NORMAL □			
HIGH 🗆	HIGH 🗆			
row 🛱	rom 1⁄2⊦			
YES D NO X	YES I NO D			
NO 🗷	NO 🔼			
YES O NO X	YES NO S			
YES 🗆 NO 🛱	YES 🗆 NO 🖄			
YES 🗆 NO 💆	YES D NO 🗹			
YES ONO ST.	YES 🗆 NO 🗹			
YES ONO R	YES 🗆 NO 💆			
The 3 descriptions (#6-8) below refer to areas to East, South, and West of ponds including outside the fence area.				
YES 🗆 NO 🕏	YES □ NO 🖎			
YES ONO DE	YES O NO \$1			
YES 🗆 NO 🖾	YES □ NO KL			
YES I NO 58	YES I NO <table-cell></table-cell>			
YES NO DA	YES ON P			
	POND 2S EMPTY FULL PARTIALLY FULL			

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO X 12.a) If YES, Describe in Detail:
12.a) Il 123, Describe III Detail.
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.g) Additional Comments:
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES □ NO 🂢
2) IS THERE ANY VISIBLE WATER POOLING 15? YES NO NO
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
25 Level (ft) Gauge Marking 0.0 Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A) 35 Level (ft) Gauge Marking 1.9 Elevation (FT/MSL) 583.9 (Use 35 EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES Ø NO □
Qualified Person's Name: F. CONCE

•

TWICE WEEKLY QUALIFIED PERSON CHECK LIST FOR WILL COUNTY ASH PONDS

INSTRUCTIONS:

- 1) An inspection of each ash pond and related embankments/berms at the Stations shall be conducted at least every 7 days and within 24 hours after a storm event greater or equal to 6.45 inches. Will County has scheduled this pond inspection twice weekly (Wednesday & Sunday) to ensure there is never more than 7 days between inspections.
- 2) The inspection records must be maintained at the Station for five years.
- 3) This is for all active (2S&3S) and inactive ponds (1N&S).
- 4) Inactive ponds are required to be maintained with water levels below 1 foot.

5) CCR Unit Instrumentation should be inspected one		ypically on S	Sunday).		
Date: 1-25-25 Time: LPM Type of Ins	pection: We	eekly 🖭 S	itorm Event		
PONDS 2S AND 3S: GENERAL INFORMATION:	PON	POND 2S		POND 35	
1) General Condition	EMPTY PARTIALLY	FULL FULL	EMPTY PARTIALLY F	FULL 🗆	
2) Water Level in Pond	NORM HIGH LOW	AL D	NORM HIGH LOW	AL 🗆	
3) Is Ash Being Removed?	YES 🗆	NO 1	YES 🗆	NO 🗷	
4) In Service?		NO 🔽		NO 🕝	
PHYSICAL INSPECTION:		 ·			
Seepage from or through embankment? Includes roads around ponds and outside fence.	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
Sinkholes/Depressions/Bulges in Pond or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
3) Signs of Piping/Channels or other Internal Erosion on embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
4) Cracking on Embankments/Berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
5) Animal Burrows on embankments?	YES 🗆	NO 🕜	YES 🗆	NO 🗹	
The 3 descriptions (#6-8) below refer to areas to East, Sou area.	th, and West o	of ponds incl	uding outside	the fence	
Excessive or Lacking Vegetative Cover on embankments? (should be normal growth)	YES 🗆	NO 🖪	YES 🗆	NO 🗹	
7) Slope Erosion on berms or embankments?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
8) Debris on embankments/berms?	YES 🗆	NO 🗹	YES 🗆	NO 🗹	
Deterioration, malfunctions, or improper operation of overtopping control systems	YES 🗆	NO 🗷	YES 🗆	NO 🗹	
10) Visible Releases	YES 🗆	NO 🗹	YES 🗆	NO 🗹	

11) If Yes to any of the above, or any other abnormalities are noted, please describe/explain:
12) Is there any damage to Pond Liner: YES NO NO
12.a) If YES, Describe in Detail:
12.b) Specific Location:
12.c) Is Water Level Below Damage? YES □ NO □ N/A □
12.d) If No, Did You Reduce Pond Level? YES N/A
12.e) Notified Shift Supervisor of Damage? YES Date Notified: N/A
12.f) Notified Station Management of Damage? YES Date Notified: N/A
12.8) Additional Comments: Poud 3s liver partially covered by snow 10
PONDS 1N, 15:
1) IS THERE ANY VISIBLE WATER POOLING 1N? YES \(\square\) NO \(\overline{\pi} \)
2) IS THERE ANY VISIBLE WATER POOLING 1S? YES \(\Boxed{1} \) NO \(\overline{\overlin
If Yes — contact the Environmental Specialist
POND LEVEL INSTRUMENTATION
2S Level (ft) Gauge Marking O Elevation (FT/MSL) 588.3 (Use 25 EL Gauging Chart App A)
3S Level (ft) Gauge Marking 1.9' Elevation (FT/MSL) 583.9 (Use 3S EL Gauging Chart App B)
Gauge Marker Instrument is in good condition and readable YES 2 NO .
Qualified Person's Name: Corey Martin

.